FINISHED FLOOR ELEVATION 97'-10"

SALLY-PORT PAVEMENT NOTE
PAVEMENT TO BE 6" THICK CONCRETE REINFORCED W/#4 BARS AT 18" O.C. EACH WAY PLACED @ ℄ OF SLAB. SUBGRADE PREPARATION SHALL BE AS SPECIFIED IN SOIL REPORT.

FINISHED FLOOR ELEVATION = 100'-0"

PRECAST, PRESTRESSED CONCRETE PLANKS, TYP.

RECESS SLAB FOR DOOR TRACK SEE ARCH'T

1½" DEEP RECESSED TRACK, SEE ARCH'T.

THICKEN SLAB TO 6"

S402 TYP. UNLESS NOTED

DATUM ELEVATION 100'-0" = ACTUAL ELEVATION 645.33'

S101 FOUNDATION PLAN
SCALE 1/8" = 1'-0"

SHEPHERD + BOYD
ARCHITECTS/PLANNERS & INTERIORS
8235 DOUGLAS AVENUE
DOUGLAS BUILDING SUITE 900
DALLAS TEXAS 75225
TELEPHONE 214/691-3000

A NEW POLICE FACILITY FOR THE
TOWN OF ADDISON
4799 AIRPORT PARKWAY
ADDISON, TEXAS 75248

REVISIONS

DATE 7-12-82

SLIDER/REED, INC.
STRUCTURAL ENGINEERS AND PLANNERS
DALLAS, TEXAS 214-748-0416

SHEET
S1