
Kimley-Horn and Associates, Inc. Project Description for Unsignalized Intersection							
Project Description	a for Unsignalized Intersection						
Client:	Town of Addison		Date: 1/2/18				
Program:	ADA Self-Evaluation and Transition Plan				Prepared By: C	MP	
KHA No.:	063543021				Checked By: E	PE	
Corridor :	Oaks N Dr				GPS ID: 2	20	
Project Name:	Intersection of Oaks N Dr and Trafalgar Ct						
Town:	Addison						
Item No.	Item Description	Quantity	Unit	Unit Price	Item C	ost	
TxDOT 110-6001	EXCAVATION (ROADWAY)	0	CY	\$ 10.00) \$	-	
TxDOT 529-6002	CONC CURB (TY II)	0	LF	\$ 15.00) \$	-	
TxDOT 531-6001	CONC SIDEWALKS (4")	0	SY	\$ 45.00) \$	-	
	CURB RAMPS	8	EA	\$ 1,500.00)\$1	12,000.00	
TxDOT 5003-6002	RETROFIT DET WARN SURF (CAST IN PLACE)	0	SF	\$ 50.00) \$	-	
TxDOT 104-6015	REMOVING CONC (SIDEWALKS)	0	SY	\$ 9.00	0\$	-	
TxDOT 677	ELIM EXT PAVE MRK & MRKS	0	LF	\$ 2.80)\$	-	
TxDOT 666/678	REFL PAV MRK PREP, TY I & TY II (W) 24"(SLD)	240	LF	\$ 8.50	0\$	2,040.00	
	REPAVE ROADWAY	3	LS	\$ 5,000.00)\$1	15,000.00	
	FIX PONDING	0	LS	\$ 2,000.00)\$	-	
	FIX CURB RAMP TRANSITION	0	LS	\$ 2,000.00		-	
	MEDIAN NOSE MODIFICATION	0	LS LS	\$ 5,000.00		-	
	REMOVE TEMPORARY OBSTRUCTION	0		\$ 500.00) \$	-	
	FIX CURB RAMP COUNTER SLOPE	0	LS	\$ 2,000.00		-	
Basis for Cost Proje			_	Subtota		29,040.00	
	☑ No Design Completed			5 . 5 ()		5,980.00	
	Preliminary Design		C			5,980.00	
	Final Design			Estimated Project Cos	t: \$ 4	41,000.00	

Project Location




Field Observations

Intersection Issues		Cros	swalk		Possible Solutions	
		N E S W		Possible Solutions		
Path of travel pavement condition	N/A	Good	Good	Dangerous		
Path of travel running slope is greater than 5%	N/A		Х			
Path of travel cross slope is greater than 2% for stop control approaches	N/A	N/A	х	N/A	Repave roadway and install crosswalk pavement markings	
Path of travel cross slope is greater than 5% for free-flow approaches	N/A	х	N/A		nopave rodeway and instan crosswaik pavement markings	
Crosswalk width is less than 6'	N/A	N/A	N/A	N/A		
Crosswalk striping condition	N/A	None	None	None		

Curb Ramp ID ('z' or 'i' in ramp label indicates no							
Curb Ramp Issues				existing	ramp) Possible Solutions	Possible Solutions	
	1 <i>z</i>	2z	3z	4z			
Curb ramp does not exist and is needed	Х	Х	Х	Х	Install curb ramp; if median improvement, see	shapefile	
Curb ramp does not land in crosswalk	l		<u>.</u>				
No 4' x 4' clear space at base of curb ramp	l		<u>.</u>				
Curbed side is not 90° or has traversable adjacent surface]				
Flare cross slope is greater than 10%			1				
Curb ramp running slope is greater than 8.3%							
Blended transition running slope is greater than 5%			1				
Cut-thru ramp running slope is greater than 5%							
Curb ramp cross slope is greater than 2%]				
Cut-thru ramp cross slope is greater than 2%			1				
Curb ramp width is less than 48"							
Cut-thru ramp width is less than 60"							
Permanent obstruction (>0.25") in curb ramp/landing/flares			<u> </u>				
Temporary obstruction (>0.25") in curb ramp/landing/flares	L		ļ	<u></u>			
No textured surface at base of curb ramp	<u> </u>		<u> </u>	<u> </u>			
No color contrast at base of curb ramp	l		<u>.</u>				
Landing area does not exist and is needed	.		ļ	ļ			
Landing area is less than 5' x 5' or slopes greater than 2%	 		!	ļļ			
Curb ramp transition onto roadway is greater than 0.25"	ļ		ļ	ļļ			
Counter slope of the gutter or street at the foot of the curb ramp is							
greater than 5%			1				
Ponding occurs at base of curb ramp			1				

Comment: Existing sidewalk, curb ramp, and/or striping configurations permit pedestrians to cross the major street. An Engineering study is needed to confirm crossing should be accomm



Corner 1 No Ramp (1z)



Corner 3 No Ramp (3z)



Corner 2 No Ramp (2z)



Corner 4 No Ramp (4z)

Opinion of Probable Construction Cost Disclaimer:

The Engineer has no control over the cost of labor, materials, equipment, or over the Contractor's methods of determining prices or over competitive bidding or market conditions. Opinions of probable costs provided herein are based on the information known to Engineer at this time and represent only the Engineer's judgment as a design professional familiar with the construction industry. The Engineer cannot and does not guarantee that proposals, bids, or actual construction costs will not vary from its opinions of probable costs.

Project Location Map Sources:

Esri, DeLorme, NAVTEQ, USGS, Intermap, iPC, NRCAN, Esri Japan, METI, Esri China (Hong Kong), Esri (Thailand), TomTom, 2013, DigitalGlobe, GeoEye, i-cubed, USDA, AEX, Getmapping, Aerogrip, IGN, IGP, swisstopo, and the GIS User Community