Client: Program: KHA No.:	n for Unsignalized Intersection Town of Addison ADA Self-Evaluation and Transition Plan 063543021					Date: 1/2/18 red By: CMP red By: EPE
Corridor : Project Name: Town:	Beltway Dr Intersection of Beltway Dr and driveway (Lat. 32.9511; Lo Addison	ng96.8477)			0	GPS ID: 232
Item No.	Item Description	Quantity	Unit	Unit	Price	Item Cost
TxDOT 110-6001	EXCAVATION (ROADWAY)	0	CY	\$	10.00 \$	-
	CONC CURB (TY II)	0	LF	\$	15.00 \$	-
	CONC SIDEWALKS (4")	0	SY	\$	45.00 \$	-
TxDOT 531	CURB RAMPS	1	EA	\$	1,500.00 \$	1,500.0
TxDOT 5003-6002	RETROFIT DET WARN SURF (CAST IN PLACE)	20	SF	\$	50.00 \$	1,000.0
TxDOT 104-6015	REMOVING CONC (SIDEWALKS)	8	SY	\$	9.00 \$	72.0
TxDOT 677	ELIM EXT PAVE MRK & MRKS	-2	LF	\$	2.80 \$	(5.6
TxDOT 666/678	REFL PAV MRK PREP, TY I & TY II (W) 24"(SLD)	56	LF	\$	8.50 \$	476.0
	REPAVE ROADWAY	0	LS	\$	5,000.00 \$	-
	FIX PONDING	0	LS	\$	2,000.00 \$	-
	FIX CURB RAMP TRANSITION	0	LS	\$	2,000.00 \$	-
	MEDIAN NOSE MODIFICATION	0	LS	\$	5,000.00 \$	-
	REMOVE TEMPORARY OBSTRUCTION	0	LS	\$	500.00 \$	-
	FIX CURB RAMP COUNTER SLOPE	0	LS	: \$	2,000.00 \$	-
Basis for Cost Proje					Subtotal: \$	3,042.4
	☑ No Design Completed			Engineering: (% +/-)		978.8
	Preliminary Design			Contingency: (% +/-)		978.8
	Final Design			Estimated P	roject Cost: \$	5,000.0

Project Location



Field Observations

Intersection Issues		Cros	swalk		Possible Solutions
		N E		W	Possible Solutions
Path of travel pavement condition	N/A	Good	Good	N/A	
Path of travel running slope is greater than 5%	N/A			N/A	
Path of travel cross slope is greater than 2% for stop control approaches	N/A	N/A		N/A	
Path of travel cross slope is greater than 5% for free-flow approaches	N/A		N/A	N/A	
Crosswalk width is less than 6'	N/A		N/A	N/A	Install crosswalk pavement markings
Crosswalk striping condition	N/A	Good	None	N/A	insian crosswark pavement markings

	Curb Ramp ID ('z' or 'i' in ramp label indicates no					
Curb Ramp Issues				existing	g ramp)	p) Possible Solutions
	1 <i>z</i>	2A	ЗA	3B	4A	
Curb ramp does not exist and is needed						
Curb ramp does not land in crosswalk	l				Х	Remove and replace crosswalk pavement markings
No 4' x 4' clear space at base of curb ramp						
Curbed side is not 90° or has traversable adjacent surface						
Flare cross slope is greater than 10%						
Curb ramp running slope is greater than 8.3% Blended transition running slope is greater than 5% Cut-thru ramp running slope is greater than 5% Curb ramp cross slope is greater than 2%						
						Remove and replace curb ramp
Cut-thru ramp cross slope is greater than 2%						
Curb ramp width is less than 48"						
Cut-thru ramp width is less than 60"	l					
Permanent obstruction (>0.25") in curb ramp/landing/flares						
Temporary obstruction (>0.25") in curb ramp/landing/flares						
No textured surface at base of curb ramp	ļ					For intersection, commercial driveway, and park ramps, insta
No color contrast at base of curb ramp	l	Х	Х			color truncated domes
Landing area does not exist and is needed	ļ					
Landing area is less than 5' x 5' or slopes greater than 2%	l					
Curb ramp transition onto roadway is greater than 0.25"	ļ					
Counter slope of the gutter or street at the foot of the curb ramp is						
greater than 5%						
Ponding occurs at base of curb ramp	[

Comment: Existing sidewalk, curb ramp, and/or striping configurations permit pedestrians to cross the major street. An Engineering study is needed to confirm crossing should be accomm



Corner 1 No Ramp (1z)



Ramp 3A



Ramp 4A



Ramp 2A



Ramp 3B

Opinion of Probable Construction Cost Disclaimer:

The Engineer has no control over the cost of labor, materials, equipment, or over the Contractor's methods of determining prices or over competitive bidding or market conditions. Opinions of probable costs provided herein are based on the information known to Engineer at this time and represent only the Engineer's judgment as a design professional familiar with the construction industry. The Engineer cannot and does not guarantee that proposals, bids, or actual construction costs will not vary from its opinions of probable costs.

Project Location Map Sources:

Esri, DeLorme, NAVTEQ, USGS, Intermap, iPC, NRCAN, Esri Japan, METI, Esri China (Hong Kong), Esri (Thailand), TomTom, 2013, DigitalGlobe, GeoEye, i-cubed, USDA, AEX, Getmapping, Aerogrip, IGN, IGP, swisstopo, and the GIS User Community