Client: Program: KHA No.:	Town of Addison ADA Self-Evaluation and Transition Plan 063543021									Date: ared By: ked By:	
Corridor : Project Name: Town:	Beltway Dr GPS ID: 237 Intersection of Beltway Dr and driveway (Lat. 32.9512; Long96.8445) Addison										
Item No.	Item Description			Quantity	U	nit	Unit	t Price		ltem	Cost
TxDOT 110-6001	EXCAVATION (ROADWAY)			0	C	Y	\$	10	0.00 \$		-
	CONC CURB (TY II) CONC SIDEWALKS (4")			0		F Y	\$ \$		5.00 \$ 5.00 \$		
TxDOT 531	CURB RAMPS	•••		2	E	A	\$		0.00 \$		3,000.0
	RETROFIT DET WARN SURF (CAST IN PLACE REMOVING CONC (SIDEWALKS)	:)		0 15		F Y	\$ \$		0.00 \$ 9.00 \$		- 135.0
TxDOT 677 TxDOT 666/678 	ELIM EXT PAVE MRK & MRKS REFL PAV MRK PREP, TY I & TY II (W) 24"(SLD))		0 0		F F	\$ \$		2.80 \$ 3.50 \$		
	REPAVE ROADWAY	<i>.</i> ,		0	L	S	\$	5,000	0.00 \$		-
	FIX PONDING FIX CURB RAMP TRANSITION			0	L	S S	\$ \$		0.00 \$ 0.00 \$		
	MEDIAN NOSE MODIFICATION REMOVE TEMPORARY OBSTRUCTION			0 0	L	S	\$ \$	5,000	0.00 \$ 0.00 \$		-
	FIX CURB RAMP COUNTER SLOPE			0	<u> </u>	<u>s</u>	\$	2,000	0.00 \$		-
asis for Cost Proje	No Design CompletedPreliminary Design					Conting	ering: (% +/- ency: (% +/-)	total: \$ 20% \$ 20% \$		3,135.0 932.5 932.5
Project Location	Final Design						Estimated F	Project C	Jost: \$		5,000.0
				_							
				Normet Rd		Y			P		
ield Observations						. Y ₅			P		
	Intersection Issues		N	Home Rd	w	-Y-	P	ossible S	Colutions		
ath of travel paver ath of travel runnir ath of travel cross	Intersection Issues			Crosswalk E S		e solutions c				(TRPED	DRV)
ath of travel paver ath of travel runnir ath of travel cross pproaches ath of travel cross ath of travel cross	Intersection Issues nent condition g slope is greater than 5% slope is greater than 2% for stop control slope is greater than 5% for free-flow approaches less than 6'			Crosswalk		e solutions p				(TRPED	DRV)
ath of travel paver ath of travel runnir ath of travel cross pproaches ath of travel cross ath of travel cross	Intersection Issues ment condition ng slope is greater than 5% slope is greater than 2% for stop control slope is greater than 5% for free-flow approaches less than 6' condition		All dri	Crosswalk E S iveway path of travel issue	es and possibl	e solutions p	provided in d	riveway s	shapefile	(TRPED	DRV)
Path of travel paver ath of travel runnin ath of travel cross pproaches Path of travel cross ath of travel cross prosswalk width is l	Intersection Issues nent condition g slope is greater than 5% slope is greater than 2% for stop control slope is greater than 5% for free-flow approaches less than 6'		All dri	Crosswalk E S	es and possibl	e solutions p	provided in d		shapefile	(TRPED	DRV)
ath of travel paver ath of travel runnir ath of travel cross pproaches ath of travel cross rosswalk width is I rosswalk striping o	Intersection Issues ment condition ng slope is greater than 5% slope is greater than 2% for stop control slope is greater than 5% for free-flow approaches less than 6' condition Curb Ramp Issues	Curl	All dri b Ramp	Crosswalk E S iveway path of travel issue	es and possibl	e solutions p	provided in d	riveway s	shapefile	(TRPED	DRV)
ath of travel paver ath of travel runnin ath of travel cross pproaches ath of travel cross rosswalk width is l rosswalk striping of urb ramp does not urb ramp does not	Intersection Issues ment condition g slope is greater than 5% slope is greater than 2% for stop control slope is greater than 5% for free-flow approaches less than 6' condition	Curl	All dri b Ramp	Crosswalk E S iveway path of travel issue	es and possibl	e solutions p	provided in d	riveway s	shapefile	(TRPED	DRV)
ath of travel paver ath of travel runnir ath of travel cross pproaches ath of travel cross rosswalk width is l rosswalk striping of urb ramp does not urb ramp does not of 4' x 4' clear spac urbed side is not S	Intersection Issues ment condition g slope is greater than 5% slope is greater than 2% for stop control slope is greater than 5% for free-flow approaches less than 6' condition Curb Ramp Issues t exist and is needed t land in crosswalk e at base of curb ramp 30° or has traversable adjacent surface	Curl 1A	All dri b Ramp 2A	Crosswalk E S iveway path of travel issue	es and possibl	e solutions p	provided in d	riveway s	shapefile	(TRPED	DRV)
ath of travel paver ath of travel runnir ath of travel cross pproaches ath of travel cross rosswalk width is l rosswalk striping of urb ramp does not urb ramp does not o 4' x 4' clear spac urbed side is not 9 lare cross slope is	Intersection Issues ment condition g slope is greater than 5% slope is greater than 2% for stop control slope is greater than 5% for free-flow approaches less than 6' condition Curb Ramp Issues t exist and is needed t land in crosswalk e at base of curb ramp 30° or has traversable adjacent surface	Curl	All dri b Ramp	Crosswalk E S iveway path of travel issue	es and possibl	e solutions p	provided in d	riveway s	shapefile	(TRPED	DRV)
ath of travel paver ath of travel runnin ath of travel cross pproaches ath of travel cross rosswalk width is l rosswalk striping of urb ramp does not urb ramp does not of 'x 4' clear spac urbed side is not 2 lare cross slope is urb ramp running s	Intersection Issues ment condition g slope is greater than 5% slope is greater than 2% for stop control slope is greater than 5% for free-flow approaches less than 6' condition Curb Ramp Issues t exist and is needed t land in crosswalk re at base of curb ramp D0° or has traversable adjacent surface greater than 10% slope is greater than 8.3% unning slope is greater than 5%	Curl 1A	All dri b Ramp 2A	Crosswalk E S iveway path of travel issue	es and possibl indicates no		Provided in d	riveway s	shapefile	(TRPED	DRV)
ath of travel paver ath of travel runnir ath of travel cross pproaches ath of travel cross rosswalk width is l rosswalk width is l rosswalk striping of urb ramp does not urb ramp does not lo 4' x 4' clear spac urbed side is not 5 lare cross slope is urb ramp running s lended transition r urb ramp running urb ramp cross slope is urb ramp running s	Intersection Issues nent condition g slope is greater than 5% slope is greater than 2% for stop control slope is greater than 5% for free-flow approaches less than 6' condition Curb Ramp Issues Lexist and is needed Land in crosswalk ze at base of curb ramp 0° or has traversable adjacent surface greater than 10% slope is greater than 5% ng slope is greater than 5% poe is greater than 2%	Curl 1A	All dri b Ramp 2A	Crosswalk E S iveway path of travel issue	es and possibl indicates no		provided in d	riveway s	shapefile	(TRPED	DRV)
Path of travel paver Path of travel runnir Path of travel runnir Path of travel cross pproaches Path of travel cross Path of travel cro	Intersection Issues ment condition g slope is greater than 5% slope is greater than 2% for stop control slope is greater than 5% for free-flow approaches less than 6' condition Curb Ramp Issues t exist and is needed t land in crosswalk t eat base of curb ramp 90° or has traversable adjacent surface greater than 10% slope is greater than 5% oppe is greater than 5% oppe is greater than 2%	Curl 1A	All dri	Crosswalk E S iveway path of travel issue	es and possibl indicates no		Provided in d	riveway s	shapefile	(TRPED	DRV)
Path of travel cross approaches Path of travel cross Path of tr	Intersection Issues nent condition g slope is greater than 5% slope is greater than 2% for stop control slope is greater than 5% for free-flow approaches. less than 6' condition Curb Ramp Issues t exist and is needed t land in crosswalk ex at base of curb ramp 30° or has traversable adjacent surface	Curl 1A	All dri b Ramp 2A	Crosswalk E S iveway path of travel issue	es and possibl indicates no		Provided in d	riveway s	shapefile	(TRPED	DRV)
Path of travel paver Path of travel runnir Path of travel cross pproaches Path of travel cross Path of travel cros	Intersection Issues nent condition g slope is greater than 5% slope is greater than 2% for stop control slope is greater than 5% for free-flow approaches less than 6' condition Curb Ramp Issues t exist and is needed t land in crosswalk ce at base of curb ramp 40° or has traversable adjacent surface greater than 10% slope is greater than 5% ng slope is greater than 5% slope is greater than 2% less than 48° is less than 60° ion (>0.25°) in curb ramp/landing/flares ion (>0.25°) in curb ramp/landing/flares	Curl 1A	All dri	Crosswalk E S iveway path of travel issue	es and possibl indicates no	Remove an	Provided in d	riveway s ossible S	Solutions	· · · · · · · · · · · · · · · · · · ·	
Path of travel paver Path of travel running Path of travel running Path of travel cross pproaches Path of travel cross Path path of travel cross Path	Intersection Issues ment condition g slope is greater than 5% slope is greater than 2% for stop control slope is greater than 5% for free-flow approaches less than 6' condition Curb Ramp Issues t exist and is needed t land in crosswalk ce at base of curb ramp 30° or has traversable adjacent surface greater than 10% slope is greater than 5% oppe is greater than 5% oppe is greater than 5% oppe is greater than 2% less than 48' is less than 60'' ion (>0.25'') in curb ramp/landing/flares ion (>0.25'') in curb ramp/landing/flares ia t base of t base of curb ramp/landing/flares ia t base of	Curl 1A X X	All dri	Crosswalk E S iveway path of travel issue	es and possibl indicates no	Remove an	d replace cu	riveway s ossible S	Solutions	· · · · · · · · · · · · · · · · · · ·	
Path of travel paver Path of travel runnir Path of travel cross pproaches Path of travel cross Path of travel cros	Intersection Issues nent condition g slope is greater than 5% slope is greater than 2% for stop control slope is greater than 5% for free-flow approaches. less than 6' condition Curb Ramp Issues t exist and is needed land in crosswalk ce at base of curb ramp 0° or has traversable adjacent surface greater than 10% slope is greater than 5%, or surface greater than 2% slope is greater than 2% is less than 60" ion (<>2.5") in curb ramp/landing/flares ion (<	Curl	All dri	Crosswalk E S iveway path of travel issue	es and possibl indicates no	Remove an	d replace cu	riveway s ossible S	Solutions	· · · · · · · · · · · · · · · · · · ·	
ath of travel paver ath of travel runnir ath of travel cross pproaches ath of travel cross crosswalk width is l crosswalk width is l crosswalk striping of auth ramp does not outh ramp does not outh ramp does not auth and does not auth and transition r authed side is not st lare cross slope is authed side is not st lare cross slope is authed running runni- authur ramp cross authur ramp cross authur ramp width is authur ramp width ermanent obstruct emporary obstruct to textured surface to color contrast at anding area does i anding area is less anding area is less	Intersection Issues nent condition g slope is greater than 5% slope is greater than 2% for stop control slope is greater than 5% for free-flow approaches less than 6' condition Curb Ramp Issues t exist and is needed t land in crosswalk ce at base of curb ramp 20° or has traversable adjacent surface greater than 10% slope is greater than 8.3% unning slope is greater than 5% ng slope is greater than 2% is less than 48° is less than 60° ion (>0.25°) in curb ramp/landing/flares ion (>0.25°) in curb ramp/landing/flares at base of curb ramp base of curb ramp base of curb ramp base of curb ramp/landing/flares ion (>0.25°) in curb ramp/landing/flares ion solve for the than 2% base of curb ramp base	Curl 1A X X	All dri	Crosswalk E S iveway path of travel issue	es and possibl indicates no	Remove an	d replace cu	riveway s ossible S	Solutions	· · · · · · · · · · · · · · · · · · ·	
Path of travel paver ath of travel running the formal of travel cross pproaches Path of travel cross prosents crosswalk width is l prosent width is l provided side is not set and the transition of provide the set provide the se	Intersection Issues nent condition g slope is greater than 5% slope is greater than 2% for stop control slope is greater than 5% for free-flow approaches less than 6' condition Curb Ramp Issues t exist and is needed t land in crosswalk ce at base of curb ramp b0° or has traversable adjacent surface greater than 10% slope is greater than 5% ng slope is greater than 5% slope is greater than 2% less than 48' is less than 60' ion (>0.25') in curb ramp/landing/flares ion (>0.25') in curb ramp/landing/flares at base of curb ramp base	Curl 1A X X	All dri	Crosswalk E S iveway path of travel issue	es and possibl indicates no	Remove an	d replace cu	riveway s ossible S	Solutions	· · · · · · · · · · · · · · · · · · ·	

Kimley-Horn and Associates, Inc. Photographs



Ramp 1A



Ramp 2A

Opinion of Probable Construction Cost Disclaimer:

The Engineer has no control over the cost of labor, materials, equipment, or over the Contractor's methods of determining prices or over competitive bidding or market conditions. Opinions of probable costs provided herein are based on the information known to Engineer at this time and represent only the Engineer's judgment as a design professional familiar with the construction industry. The Engineer cannot and does not guarantee that proposals, bids, or actual construction costs will not vary from its opinions of probable costs.

Project Location Map Sources:

Esri, DeLorme, NAVTEQ, USGS, Intermap, iPC, NRCAN, Esri Japan, METI, Esri China (Hong Kong), Esri (Thailand), TomTom, 2013, DigitalGlobe, GeoEye, i-cubed, USDA, AEX, Getmapping, Aerogrip, IGN, IGP, swisstopo, and the GIS User Community