
Kimley-Horn and A Project Description		Priority: 5								
Toject Description	Tor onsignalized intersection									
Client:	Town of Addison									
Program:	ADA Self-Evaluation and Transition Plan				Prep	ared By: CMP				
KHA No.:	063543021				Che	cked By: EPE				
Corridor :	Spring Valley Rd					GPS ID: 298				
Project Name:	Intersection of Spring Valley Rd and driveway (Lat. 32.9399; Long96.8543)									
Town:	Addison									
Item No.	Item Description	Quantity	Unit	Ur	nit Price	Item Cost				
TxDOT 110-6001	EXCAVATION (ROADWAY)	0	CY	\$	10.00 \$	-				
	CONC CURB (TY II)	0	LF	\$	15.00 \$	-				
	CONC SIDEWALKS (4")	0	SY	\$	45.00 \$	-				
TxDOT 531	CURB RAMPS	4	EA	\$	1,500.00 \$	6,000.00				
TxDOT 5003-6002	RETROFIT DET WARN SURF (CAST IN PLACE)	0	SF	\$	50.00 \$	-				
TxDOT 104-6015	REMOVING CONC (SIDEWALKS)	45	SY	\$	9.00 \$	405.00				
TxDOT 677	ELIM EXT PAVE MRK & MRKS	0	LF	\$	2.80 \$	-				
TxDOT 666/678	REFL PAV MRK PREP, TY I & TY II (W) 24"(SLD)	0	LF	\$	8.50 \$	-				
	REPAVE ROADWAY	0	LS	\$	5,000.00 \$	-				
	FIX PONDING	0	LS	\$	2,000.00 \$	-				
	FIX CURB RAMP TRANSITION	2	LS	\$	2,000.00 \$	4,000.00				
	MEDIAN NOSE MODIFICATION	0	LS	\$	5,000.00 \$	-				
	REMOVE TEMPORARY OBSTRUCTION	Ô	LS	\$	500.00 \$	-				
	FIX CURB RAMP COUNTER SLOPE	0	LS	\$	2,000.00 \$	-				
Basis for Cost Proje				Subtotal: \$	10,405.00					
	No Design Completed		neering: (% +		2,297.50					
	Preliminary Design	Cont	ingency: (% +		2,297.50					
	Final Design			Estimated	Project Cost: \$	15,000.00				

Project Location



Field Observations

Internetion Income		Cros	swalk		Possible Solutions
Intersection Issues	Ν	E	S	W	Possible Solutions
Path of travel pavement condition					
Path of travel running slope is greater than 5%					
Path of travel cross slope is greater than 2% for stop control					
approaches	All driveway path of travel issues and possible solutions p				ble solutions provided in driveway shapefile (TRPEDDRV)
	All ul	weway paulo	1 112001 13300	23 414 9033	ble solutions provided in driveway shapeline (Tri Ebbriv)
Path of travel cross slope is greater than 5% for free-flow approaches					

Path of travel cross slope is greater than 5% for free-flow approach Crosswalk width is less than 6' Crosswalk striping condition

Curb Ramp ID ('z' or 'i' in ramp label indicates no								
Curb Ramp Issues		existing ramp)				Possible Solutions		
	1A	2A	ЗA	4A				
Curb ramp does not exist and is needed								
Curb ramp does not land in crosswalk	I							
No 4' x 4' clear space at base of curb ramp	l							
Curbed side is not 90° or has traversable adjacent surface	Х	Х	<u> </u>					
Flare cross slope is greater than 10%	<u> </u>		Х					
Curb ramp running slope is greater than 8.3%								
Blended transition running slope is greater than 5%								
Cut-thru ramp running slope is greater than 5%						Remove and replace curb ramp		
Curb ramp cross slope is greater than 2%	Х		Х	Х				
Cut-thru ramp cross slope is greater than 2%								
Curb ramp width is less than 48"	Х	Х	Х					
Cut-thru ramp width is less than 60"	1							
Permanent obstruction (>0.25") in curb ramp/landing/flares	Х		Х	Х				
Temporary obstruction (>0.25") in curb ramp/landing/flares	ļ							
No textured surface at base of curb ramp	X	Х	Х	Х		For intersection, commercial driveway, and park ramps, install		
No color contrast at base of curb ramp	X	Х	X	Х		color truncated domes		
Landing area does not exist and is needed	ļ		ļ					
Landing area is less than 5' x 5' or slopes greater than 2%	X	Х	Х	Х		Remove and replace landing area		
Curb ramp transition onto roadway is greater than 0.25"	ļ		Х	Х		Fix curb ramp transition		
Counter slope of the gutter or street at the foot of the curb ramp is								
greater than 5%								
Ponding occurs at base of curb ramp	1							



Ramp 1A



Ramp 3A



Ramp 2A



Ramp 4A

Opinion of Probable Construction Cost Disclaimer:

The Engineer has no control over the cost of labor, materials, equipment, or over the Contractor's methods of determining prices or over competitive bidding or market conditions. Opinions of probable costs provided herein are based on the information known to Engineer at this time and represent only the Engineer's judgment as a design professional familiar with the construction industry. The Engineer cannot and does not guarantee that proposals, bids, or actual construction costs will not vary from its opinions of probable costs.

Project Location Map Sources:

Esri, DeLorme, NAVTEQ, USGS, Intermap, iPC, NRCAN, Esri Japan, METI, Esri China (Hong Kong), Esri (Thailand), TomTom, 2013, DigitalGlobe, GeoEye, i-cubed, USDA, AEX, Getmapping, Aerogrip, IGN, IGP, swisstopo, and the GIS User Community