Client: Program: KHA No.:	Town of Addison ADA Self-Evaluation and Transition Plan 063543021					Date: 1/2/18 ared By: CMP cked By: EPE
Corridor : Project Name: Town:	Oaks N Dr Intersection of Oaks N Dr and driveway (Lat. 32.9509; Lor Addison	ng96.8160)				GPS ID: 90098
Item No.	Item Description	Quantity	Unit	Ur	nit Price	Item Cost
TxDOT 110-6001	EXCAVATION (ROADWAY)	0	CY	\$	10.00 \$	-
	CONC CURB (TY II)	0	LF	\$	15.00 \$	-
TxDOT 531-6001	CONC SIDEWALKS (4")	0	SY	\$	45.00 \$	-
TxDOT 531	CURB RAMPS	4	EA	\$	1,500.00 \$	6,000.
TxDOT 5003-6002	RETROFIT DET WARN SURF (CAST IN PLACE)	0	SF	\$	50.00 \$	-
	REMOVING CONC (SIDEWALKS)	0	SY	\$	9.00 \$	-
TxDOT 677	ELIM EXT PAVE MRK & MRKS	0	LF	\$	2.80 \$	-
TxDOT 666/678	REFL PAV MRK PREP, TY I & TY II (W) 24"(SLD)	0	LF	\$	8.50 \$	-
	REPAVE ROADWAY	0	LS	\$	5,000.00 \$	-
	FIX PONDING	0	LS	\$	2,000.00 \$	-
	FIX CURB RAMP TRANSITION	0	LS	\$	2,000.00 \$	-
	MEDIAN NOSE MODIFICATION	0	LS	\$	5,000.00 \$	-
	REMOVE TEMPORARY OBSTRUCTION	0	LS	\$	500.00 \$	-
	FIX CURB RAMP COUNTER SLOPE	0	LS	\$	2,000.00 \$	-
asis for Cost Proje				Subtotal: \$	6,000.	
	☑ No Design Completed		ineering: (% +		1,500.	
	Preliminary DesignFinal Design		Cor	ntingency: (% +	/-) 20% \$ Project Cost: \$	1,500.0 9,000. 0

Project Location



Field Observations

Intersection Issues		Cross	swalk		Possible Solutions
Intersection issues	Ν	E	S	W	Possible Solutions
Path of travel pavement condition					
Path of travel running slope is greater than 5%					
Path of travel cross slope is greater than 2% for stop control					
approaches	All dri	veway path o	f travel issue	e and possible	e solutions provided in driveway shapefile (TRPEDDRV)
		veway pairio	i liavei issue		solutions provided in university shapeline (Trit EDDI(V)
Path of travel cross slope is greater than 5% for free-flow approaches					

Crosswalk width is less than 6' Crosswalk striping condition

	Cur	o Ram	p ID ('z'	
Curb Ramp Issues				existing
	1z	2z	3z	4z
Curb ramp does not exist and is needed	X	X	X	Х
Curb ramp does not land in crosswalk			l	ļ
No 4' x 4' clear space at base of curb ramp	İ	<u> </u>	1	ļ
Curbed side is not 90° or has traversable adjacent surface			1	
Flare cross slope is greater than 10%			1	
Curb ramp running slope is greater than 8.3%			1	
Blended transition running slope is greater than 5%				
Cut-thru ramp running slope is greater than 5%			1	
Curb ramp cross slope is greater than 2%			1	
Cut-thru ramp cross slope is greater than 2%				
Curb ramp width is less than 48"			1	
Cut-thru ramp width is less than 60"				
Permanent obstruction (>0.25") in curb ramp/landing/flares		<u> </u>	1	[
Temporary obstruction (>0.25") in curb ramp/landing/flares	Į	ļ	<u> </u>	ļ
No textured surface at base of curb ramp		ļ	_	ļ <u> </u>
No color contrast at base of curb ramp			l	ļ
Landing area does not exist and is needed			.	ļ
Landing area is less than 5' x 5' or slopes greater than 2%			. .	ļ
Curb ramp transition onto roadway is greater than 0.25"		. 	. 	ļ
Counter slope of the gutter or street at the foot of the curb ramp is			1	
greater than 5%		<u> </u>	1	<u> </u>
Ponding occurs at base of curb ramp	1	1	1	1



Intersection of Oaks N Dr and driveway (Lat. 32.9509; Long. -96.8160)

GPS ID:

90098



Corner 1 No Ramp (1z)



Corner 3 No Ramp (3z)





Corner 4 No Ramp (4z)

Opinion of Probable Construction Cost Disclaimer:

The Engineer has no control over the cost of labor, materials, equipment, or over the Contractor's methods of determining prices or over competitive bidding or market conditions. Opinions of probable costs provided herein are based on the information known to Engineer at this time and represent only the Engineer's judgment as a design professional familiar with the construction industry. The Engineer cannot and does not guarantee that proposals, bids, or actual construction costs will not vary from its opinions of probable costs.

Project Location Map Sources:

Esri, DeLorme, NAVTEQ, USGS, Intermap, iPC, NRCAN, Esri Japan, METI, Esri China (Hong Kong), Esri (Thailand), TomTom, 2013, DigitalGlobe, GeoEye, i-cubed, USDA, AEX, Getmapping, Aerogrip, IGN, IGP, swisstopo, and the GIS User Community