PREFORMED METAL FLASHING

5/8" TYPE " X" GYP. BD.

7/8" FURRING CHANNELS @ 16" O.C.

STEEL ANGLE REF. STRUCTURAL

11'-5½"

8'-0"

existing gym

REMOVE EXISTING SLOPED TOPPING (REF. D101)

NEW CONC. TOPPING

FFE= 114'-0"

4'-0"

3 5/8" METAL STUDS @ 16" O.C.

3 1/2" BATT INSULATION

12X8X16 REGULAR CMU

FACE BRICK

5/8" TYPE "X" GYP. BD.

10'-0"

existing racquet

FFE= 100'-0"

1 wall section
3/4"=1'-0"

EXISTING ROOF AND STRUCTURE TO REMAIN

5/8" GYP. BD.

3 5/8" METAL STUDS @ 16" O.C.

existing mechanical

EXISTING FLOOR AND STRUCTURE TO REMAIN

5/8" TYPE "X" GYP. BD. ON 7/8" FURRING CHANNELS

hall

existing gym

2 wall section
3/4"=1'-0"

ISSUE DATE
FEB. 20, 2002

REVISIONS

# ADDISON ATHLETIC CLUB EXPANSION AND LEISURE POOL
ADDISON, TEXAS


RON HOBBS ARCHITECTS
614 W. MAIN ST. SUITE #200 GARLAND, TEXAS 75040
(972) 494-0174 FAX (972) 494-0722


JOB NUMBER
0012

SHEET NAME
3/4" SCALE WALL SECTIONS

SHEET NUMBER
A810