

PAVING LEGEND	
	PROPOSED 7" CONCRETE PAVEMENT REINFORCED WITH #3 REBARS ON 18" CENTERS EACH WAY ON SUBGRADE COMPACTED TO 95%
	PROPOSED 4" REINFORCED CONCRETE SIDEWALK WITH #3 REBARS ON 18" CENTERS EACH WAY

GENERAL PAVING NOTES	
1.	ALL CONCRETE PAVEMENT SHALL HAVE A MINIMUM COMPRESSIVE STRENGTH OF 3600 PSI AT 28 DAYS WITH NO 3 REINFORCING BARS SPACED AT 18-INCH O.C.E.W. MINIMUM.
2.	ALL CONSTRUCTION SHALL BE PERFORMED IN ACCORDANCE WITH THE TOWN OF ADDISON STANDARD DETAILS AND SPECIFICATIONS.
3.	CONTRACTOR TO VERIFY EXISTING PAVEMENT ELEVATIONS PRIOR TO CONSTRUCTION.
4.	NEW PAVING INSTALLED SHALL "FLUSH-OUT" AT ANY JUNCTURE WITH EXISTING PAVING.
5.	TOWN SIDEWALK SHALL COMPLY WITH TOWN DETAIL.
6.	BARRIER FREE RAMPS SHALL COMPLY WITH TX-DOT DETAIL.
7.	ALL SUBGRADE UNDER PAVEMENT SHALL "BE SHOULD BE PROOFROLLED AND THE UPPER 6 INCHES OF THE FINAL SUBGRADE COMPACTED TO 95% - 100% OF THE MATERIAL'S MAXIMUM STANDARD PROCTOR DRY DENSITY (ASTM D-698), AT A MOISTURE CONTENT OF 0 TO +4 PERCENTAGE POINTS OF STANDARD PROCTOR OPTIMUM MOISTURE CONTENT."
8.	NO VERTICAL FACILITIES OR METER BOXES WILL BE ALLOWED TO BE LOCATED WITHIN THE SIDEWALKS.
9.	ALL SAWCUTS FOR INSTALLATION OF NEW CONCRETE CURB SECTIONS TO BE FULL DEPTH.

NOTE: NEW FIRELANE PAINT ON SOUTH SIDE OF ENTRANCE SHALL CONFORM TO TOWN OF ADDISON STANDARDS (MATCH EXISTING FIRELANE PAINTING).

CAUTION!!!!

DIG TESS
ATMOS
AT&T
TXU
SOUTHWESTERN BELL
TOWN OF ADDISON

CONTACT:
1-800-344-8377
1-800-344-8377
1-800-344-8377
1-800-344-8377
1-800-344-8377

AT LEAST 48 HOURS PRIOR TO CONSTRUCTION


972-450-2871

BENCHMARK:
TOWN OF ADDISON BENCHMARK 6, BRASS DISC SETON TOP OF EXISTING INLET, LOCATED ON THE EAST SIDE OF ADDISON ROAD, DIRECTLY EAST OF THE LOWER SCHOOL PLAYGROUNDS.
ELEV. = 639.88'

GLENN ENGINEERING
T.B.P.E. FIRM # F - 303
PHONE 972-717-5151
105 DECKER COURT SUITE 910
IRVING, TEXAS 75062
FAX 972-717-2176

TRINITY CHRISTIAN ACADEMY
DRAINAGE & DRIVE IMPROVEMENTS NEAR THE UPPER SCHOOL

PAVING PLAN



Issue Dates:
Review: June 23, 2010
Comments: June 30, 2010
Comments: July 2, 2010
Comments: July 8, 2010

Construction:
Scale: AS NOTED
Drawn By: TJC
Checked By: CMA
Project No.: 10 - 599.150

Sheet 12
of 15