


BAR DIAGRAMS


DIMENSIONS SHOWN ARE FOR MAXIMUM SIZE INLETS

INLET LENGTH	BAR TYPE	BAR DIA. (1/8 IN.)	NO. REQ'D.	BAR DIMENSIONS		
				A	B	C
4 FT.	A	3	6	3'-2"	0'-3"	-
	B	3	1	2'-10"	-	-
	C	4	15	4'-8"	0'-6"	-
	D	4	5	4'-8"	-	-
	F	4	1	3'-2"	-	-
	G	3	5	2'-0"	1'-3"	-
	H	3	6	"	"	"
	H	3	3	3'-2"	3'-2"	3'-2"
5 FT.	A	3	6	3'-2"	0'-3"	-
	B	3	1	3'-10"	-	-
	C	4	15	5'-8"	0'-6"	-
	D	4	5	3'-8"	-	-
	F	4	1	3'-2"	-	-
	G	3	5	2'-0"	1'-3"	-
	H	3	8	"	"	"
	H	3	3	3'-2"	3'-2"	3'-2"
6 FT.	A	3	9	3'-2"	0'-3"	-
	B	3	1	4'-10"	-	-
	C	4	15	6'-8"	0'-6"	-
	D	4	5	4'-8"	-	-
	F	4	1	3'-2"	-	-
	G	3	5	2'-0"	1'-3"	-
	H	3	9	"	"	"
	H	3	3	3'-2"	3'-2"	3'-2"
8 FT.	A	3	12	3'-2"	0'-3"	-
	B	4	1	6'-10"	-	-
	C	4	15	8'-8"	0'-6"	-
	D	4	5	4'-8"	-	-
	F	4	1	3'-2"	-	-
	G	3	5	2'-0"	1'-3"	-
	H	3	12	"	"	"
	H	3	3	3'-2"	3'-2"	3'-2"
10 FT.	A	3	10	3'-2"	0'-3"	-
	B	3	2	8'-10"	-	-
	C	4	16	10'-8"	0'-6"	-
	D	4	4	4'-8"	-	-
	E	5	6	10'-8"	-	-
	G	3	5	2'-0"	1'-3"	-
	H	3	14	"	"	"
	L	4	5	4'-3"	-	-


* SEE DIAGRAM FOR DIMENSIONS
4', 5', 6', 8' AND 10' INLETS
REINFORCING STEEL SCHEDULE




SECTION B-B



SECTION C-C





SECTION A-A



PLAN

5 AND 10 FOOT STANDARD INLETS



INLET FRAME AND COVER
COVER 55#, FRAME 45#

NOT TO SCALE

These plans and related specifications were prepared for construction of this specific project only. Reuse of these documents is not permitted without written authorization of Shimek, Jacobs & Finkler, L.L.P.

TOWN OF ADDISON, TEXAS

ADDISON AIRPORT PROPERTY RECLAMATION

DOOLEY ROAD

DETAILS

SHIMEK, JACOBS & FINKLER, L.L.P.
CONSULTING ENGINEERS
Dallas, Texas

DESIGNED BY: J.W.B. PROJECT: 97 196 SHEET NO. 6
DRAWN BY: R.J.L. DATE: FEBRUARY 1998 OF 7 SHEETS

THESE DOCUMENTS ARE FOR BIDDING, CONSTRUCTION, AND PERMIT PURPOSES.
DATE: 3/17/98

