ADDISON AIRPORT

MATCH LINE STA. 5+00

MATCH LINE STA. 10+00

CLAIRE CHENNAULT

Set I.P. 40' Lt. ℄

STA 7+25~25' Lt ℄
1~STD. X Type Inlet
T.C. = 642.02
Top = 642.08
Opening = 641.00
FL. = 635.50

8" Water

3" Poly

STA 7+85~25' Lt. ℄
1~STD. X Type Inlet
T.C. = 642.26
Top = 642.08
Opening = 641.0
FL. = 635.50

Adjust W.V.

FL. 629.82

S.S.M.H.

20' R

6+88.36 PIPE CHANGE

6+91.36

15 LF 18" R.C.P. LAT. A-5

15 LF 18" R.C.P. LAT. A-6

12" R.C.P.

Tel. Ped.

Abandoned Tel.

pp

fh

W.V.

SS 10"

chain link fence

8"

27" R.C.P. LATERAL "A"

36" R.C.P. LATERAL "A"

WESTGROVE ROAD

7+32.51

7+92.51

37' b-b

CAUTION! Gas Main & Telephone Lines This Area To Be Relocated By Others.

LAT. A-4 43 LF 18" R.C.P.

Construct Conc. Flume to Match Exist. PAY ITEM 421.2

2-12" R.C.P.

18" R.C.P.

21" R.C.P.

4" Poly.

18" Hackberry

8" Hackberry

tele. cable

STA. 6+70-25' Rt ℄
1~STD. Y Type Inlet
T.C. = 641.80
Top = 641.30
Opening = 640.22
FL. = 636.72

FL. 640.28

FL. 641.43

t.f. 32.5 Rt.

Set I.P. 40' Rt. ℄

conc. parking area

B.M. #2

1 Sty. Conc. Bldg.

GRIFFIN PROP., INC.

RAY G. SMITH

SUNBELT DEVELOPMENT CO.

NOTE: All Driveway Radii are 10' unless otherwise noted

B.M. # 2 -"□" cut on first step East corner 4559 Westgrove, Sta. 5+50± ELEV. 644.46

650
645
640

T.C. SOUTH CURB

South R.O.W.

188 L.F.~27" R.C.P. on 0.50%

312 L.F.~36" R.C.P. on 0.50%

FL. 27" 634.41
FL. 36" 633.66

FL. 18" 634.40
FL. 36" 633.65

FL. 18" 634.19
FL. 36" 633.44

FL. 18" 633.89
FL. 36" 633.14

635.35 635.10 634.85 634.69 633.35 633.10 632.85 632.50 632.35 632.10

LATERAL "A"

T.C. NORTH CURB

North R.O.W.

5 6 7 8 9 10

Top 641.30
640.22
4" Poly Gas
FL. 636.72
6+91.36
43 L.F. 18" R.C.P. on 5.4%
FL. 18" 634.40
FL. 36" 633.65

LATERAL "A-4"

Top 642.08
641.00
15 L.F.-18" R.C.P. on 8.73%
FL. 635.50
STA. 7+32.15
FL. 18" 634.19
FL. 36" 633.44

LATERAL "A-5"

Top 642.08
641.00
4" Poly Gas
15 L.F.-18" R.C.P. on 10.73%
FL. 635.50
STA. 7+92.51
FL. 18" 633.89
FL. 36" 633.14

LATERAL "A-6"

Record Set 5/9/85

NO.	REVISION	BY	DATE

CITY OF ADDISON
DALLAS COUNTY, TEXAS

WESTGROVE/VOSS ROAD IMPROVEMENTS

DRAINAGE - STA. 5+00 to STA. 10+00

GINN, INC.
Consulting Engineers — Dallas, Texas

DESIGNED- GF	DRAWN- R.G.B.	DATE SEPT., 1982	FILE J-192
APPROVED- H.W.G.	CHECKED- HBJ	SCALE- H- 1"=20'/V- 1"=5'	SHEET 22 OF

22