MERCADO JUAREZ 40.50 BELTline SEWER Line EXTENSION

PLAN — SURVEYED ____ DATE ____ PLOTTED ____ NOTE BOOK ____ ALIGNMENT CHECKED ____ BY OF WAY CHECKED ____ NO. ____ BY ____ DATE ____



PROFILE — SURVEYED ____ DATE ____ PLOTTED ____ NOTE BOOK ____ H. & V. NOTED ____ NO. ____ PRELIMINARY NOT SIGNED OR FILED ____ BY ____ DATE ____



GENERAL NOTES

1. Contractor shall verify location of all existing Utilities prior to commencement of construction. The Contractor shall be responsible for contacting the following Utilities:

   A. WATER & SEWER
   Town of Addison
   Bruce Ellis
   450-2871

   B. NATURAL GAS
   Lone Star Gas Co.
   Bob Robinson
   380-5189

   C. TELEPHONE
   Southwestern Bell Telephone Co.
   Tim Beidelman
   733-7644

2. All work shall be performed in accordance with the Town of Addison specifications and ordancies.

3. Sewer Pipe shall be SDR 35 or equal.

4. Manhole shall be a standard 4 ft. diameter concrete manhole with polyvinyl steps, with standard cast iron cover.

5. All work shall be performed in accordance with local, State and Federal Regulations. Trenching and Shoring (if required) shall conform to OSHA requirements.

BM #11 "□" Top of Curb at N.E. Corner of Surveyor & Beltline Rd. 596.16

STATE OF TEXAS R.S. KING, JR. 21085 REGISTERED PROFESSIONAL ENGINEER

TOWN OF ADDISON, TEXAS					
MERCADO JUAREZ ADDITION					
SEWER LINE EXTENSION					
R.S. KING, JR. CONSULTING ENGINEER					
10671 SHADY TRAIL, DALLAS, TEXAS 75220					
DESIGN	DRAWN	SCALE	DATE	JOB	SHEET
RSK	RSK	1"=40'-0"	9-14-88	1372	1 OF 1