


10-13-B

The Town of Addison, Texas Plans for the Construction of Plaza at the Quorum II Pavement Repair

NOTE

1. ALL ACCESSIBLE ROUTES SHALL HAVE A MAXIMUM LONGITUDINAL SLOPE OF 5.0% AND A MAXIMUM CROSS-SLOPE OF 2.0%.
2. ALL ADA PARKING SPACES, AISLES & LANDINGS SHALL HAVE A MAXIMUM SLOPE OF 2.0% IN ALL DIRECTIONS.
3. CONTRACTOR SHALL PROTECT PROPOSED CONCRETE A MINIMUM OF 4 DAYS AFTER BEING PLACED.
4. CONTRACTOR SHALL PHASE WORK TO MAINTAIN CUSTOMER ACCESS DURING BUSINESS HOURS. ACCESS MAY BE PROVIDED ON A TEMPORARY BASIS TO PROVIDE A SAFE, SMOOTH, DRY WALKING SURFACE.
5. CONTRACTOR SHALL BARRICADE WORK TO PROHIBIT CUSTOMERS FROM ENTERING THE WORK ZONE.
6. ALL DISTURBED AREAS OUTSIDE OF PAVEMENT SHALL BE RESTORED TO THEIR ORIGINAL CONDITION. IF GRASS IS TO BE REPLACED, SOD SHALL BE INSTALLED.



LOCATION MAP

Index Of Drawings

- C1 COVER
- C2 SITEPLAN
- C3 PAVING PLAN
- C4 PAVING PLAN
- C5 PAVING PLAN
- C6 PAVING PLAN
- C7 PAVING PLAN
- C8 CIVIL DETAILS

Owner

THE RETAIL CONNECTION


2525 McKinnon Street, Suite 700
 Dallas, Texas 75201
 TELE (214) 572-8415
 FAX (214) 572-0009
 Contact: Mark Fawks

Engineer

ORACLE ENGINEERING

7012 Lindsley Avenue
 Dallas, Texas 75223
 TELE (214) 321-1436
 FAX (214) 853-9381
 Contact: Matt Kostial, PE

OCTOBER 2005



10/05/05 [Signature]

Plaza at the Quorum II

C1

B3-10