


- NOTES:
1. REPAIRS SHALL EXTEND TO 1' BEYOND EACH SIDE OF TRENCH (Bd).
  2. REINFORCEMENT CHAIRS OR APPROVED DEVICE SHALL BE USED.
  3. REPAIRS SHALL MATCH EXISTING GRADE.

**UTILITY INSTALLATION BENEATH CONCRETE ROAD SURFACE**

N.T.S.




- NOTES:
1. REPAIRS SHALL EXTEND TO 1' BEYOND EACH SIDE OF TRENCH (Bd).
  2. REPAIRS SHALL MATCH EXISTING GRADE.

**UTILITY INSTALLATION BENEATH ASPHALT ROAD SURFACE**

N.T.S.


REFER TO SHEET ELE-0 AND TEL-0 FOR FURTHER INFORMATION ON DUCT BANKS



- NOTES:
1. REPAIRS SHALL INCLUDE FULL PANELS FROM JOINT TO JOINT, AND ANY ADJACENT DAMAGED PANELS INDEPENDENT OF Bd.
  2. REINFORCEMENT CHAIRS OR APPROVED DEVICE SHALL BE USED.
  3. SEE CONCRETE SIDEWALK STANDARD DETAIL FOR SIDEWALK JOINT DETAIL.
  4. ALL DISTURBED AREAS SHALL BE SODDED (UNLESS OTHERWISE APPROVED).
  5. BACKFILL AND EMBEDMENT PARTICLE SIZE SHALL NOT EXCEED 3" IN ANY DIRECTION.
  6. CONNECT TO EXISTING SIDEWALK WITH BARS MATCHING EXISTING INSTALLATION.

**UTILITY INSTALLATION BENEATH SIDEWALK**

N.T.S.



- NOTES:
1. ALL DISTURBED AREAS SHALL BE SODDED (UNLESS OTHERWISE APPROVED).
  2. BACKFILL AND EMBEDMENT PARTICLE SIZE SHALL NOT EXCEED 3" ANY DIRECTION.

**UTILITY INSTALLATION WITHIN TURF AREAS**

N.T.S.

*ML*  
 Signature of Registrant Date 10/23/13  
 FIRM REGISTRATION NUMBER: 312

NO.	REVISION	BY	DATE
<b>BELT LINE ROAD</b> UNDERGROUND ELECTRICAL			
<b>PAVEMENT DETAILS</b>			
PROJECT	DESIGN	DRAWN	DATE
29350	HALFF	HALFF	OCT. 2013
FILE	SHEET		
29530 DTPV 03	DT-P3		