


4500 Claire Chennault

BLO COPY


ADDISON EXPRESS
HANGER ADDITION
4500 Claire Chennault
Addison, Texas

PLAN VIEW
APRON PLAN & DETAILS



WECO ENGINEERING CO
406 Erie Street
Cleburne, Texas 76031
(817) 645-1160



--- EXISTING CONTOURS (6" INCREMENTS)
- - - FINAL CONTOURS



PERMIT FOR RAMP ONLY. OWNER
MAY PROCEED AT OWN RISK NO
FUTURE PERMITS WILL BE APPROVED
UNLESS ALL LAWS & ORDINANCES
OF THE TOWN OF ADDISON ARE
COMPLIED WITH.



- NOTES:
1. CONCRETE TO BE 3000 PSI MINIMUM
 2. SURFACE TO BE GRADED FOR DRAINAGE AS INDICATED
 3. ALL BACKFILL MATERIAL IS TO BE FREE OF ANY DEGRADABLE COMPONENTS
 4. ANY BACKFILL REQUIRED IS TO BE PLACED IN 8" THICKNESS AND COMPACTED
 5. VAPORPROOF BARRIER (permeance < .20 perms) SHOULD BE PLACED UNDER SLAB
 6. ALL PIPING IS TO BE INSTALLED IN A CRADLED BED AND PROPERLY BACKFILLED
 7. ALL UNDERGROUND PIPING SHOULD HAVE EXPANSION CAPABILITY AND WATERTIGHT JOINTS
 8. ALL PIPING IS TO BE INSPECTED FOR LEAKS AND LEAKS ARE TO BE REPAIRED IMMEDIATELY
 9. CONCRETE EXPOSED EDGES SHOULD BE 1/2" RADIUS TOOLED
 10. FINISH CONCRETE BY FLOATING AND POWER TROWELING
 11. SURFACE FINISH AS REQUIRED BY OWNER
 12. HEAVY EQUIPMENT TRAFFIC MAY CREATE PUMPING - STABILIZE THESE AREAS
 13. ALL CONSTRUCTION IS TO BE IN ACCORD WITH APPROPRIATE CONSTRUCTION TECHNIQUES
 14. REBAR IS TO BE 40,000 PSI YIELD STRENGTH, MINIMUM
 15. CONCRETE SURFACE MOISTURE TO BE MAINTAINED FOR PROPER CURING
 16. CUSHION SAND, 4" MINIMUM, TO BE USED UNDER SLAB
 17. PROPER WATER-CEMENT RATIO SHOULD BE MAINTAINED

Notes
Runway lighting must be modified at entry tie-in to FAA Standards - flush
All work is to be performed by qualified craftsmen.
All work is to be performed according to safety standards
These drawings reflect the basic intent of the project, however,
if in doubt, contact the supervisor on this project
for verification of the required outcome.
All components and labor shall be guaranteed for a minimum of one year.
Contractor shall verify all dimensions prior to beginning work.
All work is to be in accordance with local codes and UBC



REV.	DATE	DESCRIPTION

DWG NO. addison4

G-3

DATE: 05-27-00

B4-11