

BEAM 1			
PT. NO.	DISTANCE TO POINT	DEFL.	SURFACE ELEVATION
1	0.0000	0.00	614.32
2	5.1773	0.02	614.38
3	10.3547	0.03	614.44
4	15.5320	0.04	614.51
5	20.7094	0.05	614.57
6	25.8867	0.05	614.64
7	31.0641	0.05	614.70
8	36.2414	0.04	614.76
9	41.4188	0.03	614.83
10	46.5961	0.02	614.89
11	51.7734	0.00	614.95

BEAM 2			
PT. NO.	DISTANCE TO POINT	DEFL.	SURFACE ELEVATION
1	0.0000	0.00	614.35
2	5.1781	0.02	614.42
3	10.3561	0.03	614.48
4	15.5342	0.04	614.55
5	20.7123	0.05	614.61
6	25.8903	0.05	614.67
7	31.0684	0.05	614.74
8	36.2465	0.04	614.80
9	41.4245	0.03	614.87
10	46.6026	0.02	614.93
11	51.7807	0.00	614.99

BEAM 3			
PT. NO.	DISTANCE TO POINT	DEFL.	SURFACE ELEVATION
1	0.0000	0.00	614.40
2	5.1789	0.02	614.46
3	10.3578	0.03	614.52
4	15.5367	0.04	614.59
5	20.7156	0.05	614.65
6	25.8944	0.05	614.72
7	31.0733	0.05	614.78
8	36.2522	0.04	614.84
9	41.4311	0.03	614.91
10	46.6100	0.02	614.97
11	51.7889	0.00	615.03

BEAM 4			
PT. NO.	DISTANCE TO POINT	DEFL.	SURFACE ELEVATION
1	0.0000	0.00	614.43
2	5.1798	0.02	614.50
3	10.3596	0.03	614.56
4	15.5394	0.04	614.63
5	20.7192	0.05	614.69
6	25.8990	0.05	614.75
7	31.0788	0.05	614.82
8	36.2586	0.04	614.88
9	41.4384	0.03	614.95
10	46.6183	0.02	615.01
11	51.7981	0.00	615.07

BEAM 5			
PT. NO.	DISTANCE TO POINT	DEFL.	SURFACE ELEVATION
1	0.0000	0.00	614.47
2	5.1808	0.02	614.54
3	10.3616	0.03	614.60
4	15.5425	0.04	614.66
5	20.7233	0.05	614.73
6	25.9041	0.05	614.79
7	31.0849	0.05	614.86
8	36.2657	0.04	614.92
9	41.4466	0.03	614.98
10	46.6274	0.02	615.05
11	51.8082	0.00	615.11

BEAM 6			
PT. NO.	DISTANCE TO POINT	DEFL.	SURFACE ELEVATION
1	0.0000	0.00	614.51
2	5.1819	0.02	614.58
3	10.3639	0.03	614.64
4	15.5458	0.04	614.70
5	20.7277	0.05	614.77
6	25.9097	0.05	614.83
7	31.0916	0.05	614.90
8	36.2735	0.04	614.96
9	41.4555	0.03	615.02
10	46.6374	0.02	615.09
11	51.8193	0.00	615.15

BEAM 7			
PT. NO.	DISTANCE TO POINT	DEFL.	SURFACE ELEVATION
1	0.0000	0.00	614.55
2	5.1831	0.02	614.61
3	10.3663	0.03	614.68
4	15.5494	0.04	614.74
5	20.7326	0.05	614.80
6	25.9157	0.05	614.87
7	31.0989	0.05	614.93
8	36.2820	0.04	615.00
9	41.4652	0.03	615.06
10	46.6483	0.02	615.13
11	51.8315	0.00	615.19

BEAM 8			
PT. NO.	DISTANCE TO POINT	DEFL.	SURFACE ELEVATION
1	0.0000	0.00	614.59
2	5.1845	0.02	614.65
3	10.3689	0.03	614.72
4	15.5534	0.04	614.78
5	20.7378	0.05	614.84
6	25.9223	0.05	614.91
7	31.1067	0.05	614.97
8	36.2912	0.04	615.03
9	41.4756	0.03	615.10
10	46.6601	0.02	615.16
11	51.8446	0.00	615.23

BEAM 9			
PT. NO.	DISTANCE TO POINT	DEFL.	SURFACE ELEVATION
1	0.0000	0.00	614.62
2	5.1858	0.02	614.68
3	10.3715	0.03	614.75
4	15.5573	0.04	614.81
5	20.7430	0.05	614.88
6	25.9288	0.05	614.94
7	31.1145	0.05	615.01
8	36.3003	0.04	615.07
9	41.4860	0.03	615.13
10	46.6718	0.02	615.20
11	51.8576	0.00	615.26

BEAM 10			
PT. NO.	DISTANCE TO POINT	DEFL.	SURFACE ELEVATION
1	0.0000	0.00	614.66
2	5.1873	0.02	614.72
3	10.3745	0.03	614.79
4	15.5618	0.04	614.85
5	20.7490	0.05	614.91
6	25.9363	0.05	614.98
7	31.1235	0.05	615.04
8	36.3108	0.04	615.11
9	41.4980	0.03	615.17
10	46.6853	0.02	615.23
11	51.8725	0.00	615.30

BEAM 11			
PT. NO.	DISTANCE TO POINT	DEFL.	SURFACE ELEVATION
1	0.0000	0.00	614.69
2	5.1889	0.02	614.76
3	10.3777	0.03	614.82
4	15.5666	0.04	614.89
5	20.7554	0.05	614.95
6	25.9443	0.05	615.01
7	31.1331	0.05	615.08
8	36.3220	0.04	615.14
9	41.5108	0.03	615.21
10	46.6997	0.02	615.27
11	51.8885	0.00	615.33


BEAM 12			
PT. NO.	DISTANCE TO POINT	DEFL.	SURFACE ELEVATION
1	0.0000	0.00	614.73
2	5.1905	0.02	614.79
3	10.3811	0.03	614.86
4	15.5716	0.04	614.92
5	20.7622	0.05	614.99
6	25.9527	0.05	615.05
7	31.1433	0.05	615.11
8	36.3338	0.04	615.18
9	41.5244	0.03	615.24
10	46.7149	0.02	615.31
11	51.9055	0.00	615.37

BEAM 13			
PT. NO.	DISTANCE TO POINT	DEFL.	SURFACE ELEVATION
1	0.0000	0.00	614.76
2	5.1923	0.02	614.83
3	10.3847	0.03	614.89
4	15.5770	0.04	614.96
5	20.7694	0.05	615.02
6	25.9617	0.05	615.09
7	31.1541	0.05	615.15
8	36.3464	0.04	615.21
9	41.5388	0.03	615.28
10	46.7311	0.02	615.34
11	51.9235	0.00	615.41

BEAM 14			
PT. NO.	DISTANCE TO POINT	DEFL.	SURFACE ELEVATION
1	0.0000	0.00	614.80
2	5.1942	0.02	614.86
3	10.3885	0.03	614.93
4	15.5827	0.04	614.99
5	20.7770	0.05	615.06
6	25.9712	0.05	615.12
7	31.1655	0.05	615.18
8	36.3597	0.04	615.25
9	41.5539	0.03	615.31
10	46.7482	0.02	615.38
11	51.9424	0.00	615.44

BEAM 15			
PT. NO.	DISTANCE TO POINT	DEFL.	SURFACE ELEVATION
1	0.0000	0.00	614.83
2	5.1962	0.02	614.90
3	10.3925	0.03	614.96
4	15.5887	0.04	615.03
5	20.7850	0.05	615.09
6	25.9812	0.05	615.15
7	31.1774	0.05	615.22
8	36.3737	0.04	615.28
9	41.5699	0.03	615.35
10	46.7662	0.02	615.41
11	51.9624	0.00	615.47

BEAM 16			
PT. NO.	DISTANCE TO POINT	DEFL.	SURFACE ELEVATION
1	0.0000	0.00	614.87
2	5.1983	0.02	614.93
3	10.3967	0.03	615.00
4	15.5950	0.04	615.06
5	20.7933	0.05	615.12
6	25.9917	0.05	615.19
7	31.1900	0.05	615.25
8	36.3884	0.04	615.32
9	41.5867	0.03	615.38
10	46.7850	0.02	615.45
11	51.9834	0.00	615.51



NOTE: FOR SLAB LAYOUT, SEE SHEETS S-46 AND S-47.
FOR BEAM LAYOUT, SEE SHEET S-44.

NO.	REVISION	BY	DATE
TEXAS TURNPIKE AUTHORITY DALLAS NORTH TOLLWAY			
ARAPAHO ROAD UNDERPASS SLAB ELEVATIONS-SPAN 2			
Turner Collier & Braden Inc. <small>Consulting Engineers</small>			SECTION VI
DRAWN RGD	DATE 6-83	DESIGNED TJR	DATE 5-83
CHECKED TJR	DATE 6-83	SCALE	NO SCALE
CONTRACT NO DNT-114 SHEET S-53 OF S-82			