




NO.	BEARING	CHORD	DELTA	RADIUS	LENGTH	TAN
C1	N82°05'36"E	45.84	13°11'20"	200.00	46.04	23.12
C2	N73°42'25"E	12.51	3°35'07"	200.00	12.51	8.26
C3	S20°54'02"E	70.57	2°28'40"	1632.02	70.58	35.29

- NOTES:
1. All radii 2' unless otherwise noted.
 2. All parking dimensions are to face of curb.
 3. All building dimensions are to face of brick.
 4. Refer to approved architectural plans for final building dimensions.



NO.	BEARING	DISTANCE
T1	S88°41'18"W	32.00
T2	N01°18'41"W	45.00
T3	S88°41'18"W	30.00
T4	N01°18'41"W	58.00
T5	S88°41'18"W	32.00
T6	N01°18'41"W	30.00
T7	S88°41'18"W	34.25
T8	S01°18'41"E	58.00
T9	N88°41'18"E	25.00
T10	N01°18'41"W	28.00
T11	N01°18'41"W	8.00
T12	N88°41'18"E	30.00
T13	N01°18'41"W	35.00
T14	N71°54'52"E	70.12

DIMENSION CONTROL						
PARKWAY LIMITED						
Taylor Hewlett, Inc.						
Huitt-Zollars, Inc. Consulting Engineers						
CITY OF ADDISON, TEXAS						
DRAWN	DESIGN	CHKD.	SCALE	DATE	FILE	NO.
S.G.	R.P.I.	J.A.S.	1" = 40'	Aug. '84		