



CITY OF ADDISON
APPROVED
 FOR CONSTRUCTION
[Signature]
 BUILDING DEPARTMENT
 DATE: 10-31-84

NOTE: CONTRACTOR IS HEREBY INSTRUCTED TO EXERCISE CARE IN MEETING OR EXCEEDING ALL REQUIREMENTS OF BOTH NATIONAL AND LOCAL CODES AND/OR ORDINANCES APPLICABLE TO HIS WORK. APPROVAL OF THESE DRAWINGS SHALL NOT BE CONSTRUED TO RELIEVE RESPONSIBILITY OR IMPLY VARIANCE IN SUCH CODES.

UTILITY PLAN
THE ABERDEEN
 HURD DEVELOPMENT
 TOWN OF ADDISON
 DALLAS COUNTY, TEXAS

Revised 10-31-84
 Revised 9-27-84
 Revised 7-16-84

Graham Associates, Inc.
 CONSULTING ENGINEERS & PLANNERS

Scale: 1" = 20'

Sheet 3 of 8

9160-1008

- GENERAL NOTES**
- Fire Hydrants shall be Mueller "Centurion Hydrants", N.S.T. Threads, and 4 1/2" Steamer connection.
 - Gate Valves shall be Mueller Brand.
 - 24 hours prior to construction a pre-construction meeting must be held for proper co-ordination with officials from the Town of Addison.