


CITY OF ADDISON
APPROVED
[Signature]
BUILDING DEPARTMENT

DATE: 10/21/11
NOTE: CONTRACTOR IS HEREBY INSTRUCTED TO EXISTING CONDITIONS OF SITE. LOCAL CODES AND/OR ORDINANCES APPLICABLE TO THESE APPROVALS OF THESE EPP'S ARE THE RESPONSIBILITY OF THE SUBMITTER.
ADDISON, TEXAS

GENERAL NOTES
 All water lines shall be 8" SDR-18 water pipe (blue circles with wire tracers). Tracer to be #12 insulated copper.
 All water lines shall have a minimum cover of 48" (42" for 12" lines).
 Sanitary sewer laterals to existing Sanitary Sewer Main shall be installed by contractor.
 All trench backfill for utilities shall be compacted as required by city, but in no case shall it be less than 90% MASHO density.
 All trench backfill shall be compacted to three (3) feet of adjoining soil condition.

Notes:
 Leachmont Street proposed utilities per ALPHATEC Engineers-Washington DC

British North America
 Cut on top of 200' South of N.E. corner
 S.W. corner of sec. 104
 Elev. 625.89
 E.P. 104.533.95



BDD BROCKETTE/DAVIS/DRAKE, INC.
 Consulting Engineers
 5710 LBJ Fwy.
 Dallas, Texas 75240
 214-233-7232

Sheet C4 of sheets Date: 8/4/11	Job Number: Drawn By: Checked By: Revisions: 1. General Revisions 7-20-11 2. Revised Transformer 10/7/11 3. Moved water meters 7-20-11	Project: Marriott QUORUM V788 ADDISON, TEXAS Title: WATER & SEWER PLAN	Bogard Haldemann Miller, Inc. Architects and Planning Consultants 5710 LBJ Fwy. Dallas, Texas 75240 214-233-7232	Bogard Haldemann Miller
--	--	--	---	--