


## BARRIER FREE RAMP AT INTERSECTION WITH RESTRICTED RIGHT-OF-WAY

(WALK ABUTTING CURB) SCALE:  $3/32^{\circ} = 1'-0'$ 



## BARRIER FREE RAMPS AT ALLEYS SCALE: 3/32" = 1'-0"

## NOTES:

- 1. HANDICAP RAMPS SHALL INCLUDE GROOVES 1/4"-3/4" WIDE AT 3/4"-2" SPACING AT A MAX. DEPTH OF 3/8". RAMPS SHALL BE STAINED/DYED RED.
- 2. MAXIMUM SLOPE ON BARRIER FREE RAMPS MUST NOT EXCEED 1" PER FOOT IN ANY DIRECTION.
- 3. DESIGNS SHOWN ARE FOR 6" CURBS. FOR CURBS WITH HEIGHT GREATER THAN 6", DIMENSIONS MUST BE INCREASED PROPORTIONATELY.
- STREETS ON STEEP GRADE WILL REQUIRE LONGER TRANSITION ON UPGRADE SIDE.
- 5. LOCATION OF BARRIER FREE RAMP MAY BE SHIFTED TO CLEAR OBSTRUCTIONS.
- GRADE OF ANY INTERSECTING DRIVE FROM GUTTER LINE OF STREET TO PROPERTY LINE SHALL NOT EXCEED 8%.
- SIDEWALKS CROSSING STEEP DRIVEWAYS MUST HAVE 2% CROSS—SLOPE BREAK IN DRIVE.