



Note: Size of Pipe Varies

LEGEND

- 14-98 Ex'd. Spot Elevation
- 593.00 Prop. Spot Elevation
- Ex'd. Contour
- Prop. Contour

UTILITY INFORMATION IS BASED UPON FIELD MEASUREMENTS AND THE BEST AVAILABLE RECORDS. FIELD MEASUREMENTS NOT RECORDED IN THE RECORDS AND NOT MEASURED THIS DATE ARE NOT RECORDED. INFORMATION IS BASED UPON DATA COLLECTED FROM AND/OR ACQUISITION OF THESE RECORDS AND FIELD MEASUREMENTS. FIELD MEASUREMENTS AS THEY CAN BE VERIFIED BY THE FIELD MEASUREMENTS.

- WATER AND SANITARY SEWER GENERAL NOTES
1. ALL MATERIALS AND WORKMANSHIP SHALL CONFORM TO THE CITY OF ADDISON STANDARDS AND SPECIFICATIONS.
 2. GROUND CONDITIONS SHALL BE AS SHOWN ON THIS PLAN. ANY UNUSUAL CONDITIONS SHALL BE REPORTED TO THE ENGINEER IMMEDIATELY.
 3. STORM DRAINAGE PIPE SHALL BE 15" DIAMETER UNLESS OTHERWISE SPECIFIED. STORM DRAINAGE SHALL BE 15" DIAMETER UNLESS OTHERWISE SPECIFIED.
 4. WHENEVER A SMALLER PIPE IS JOINED TO A LARGER PIPE, A CONCRETE COLLAR SHALL BE PLACED AROUND THE JOINT.
 5. ALL TRENCH BACKFILL SHALL BE COMPACTED TO 95% RELATIVE DENSITY. ALL TRENCH BACKFILL SHALL BE COMPACTED TO 95% RELATIVE DENSITY. ALL TRENCH BACKFILL SHALL BE COMPACTED TO 95% RELATIVE DENSITY.
 6. ALL TRENCH BACKFILL SHALL BE COMPACTED TO 95% RELATIVE DENSITY. ALL TRENCH BACKFILL SHALL BE COMPACTED TO 95% RELATIVE DENSITY.
 7. CHANGES FROM ORIGINAL DESIGN SHALL BE APPROVED BY THE ENGINEER.
 8. ALL UTILITY STRUCTURES SHALL BE 3000 PSI CONCRETE AT 28 DAYS UNLESS OTHERWISE SPECIFIED.

WATER & SANITARY SEWER PLAN
SUNBELT CORPORATE HEADQUARTERS
SUN DEVELOPMENT COMPANY
JACK R. DAVIS & ASSOCIATES, INC.
 consulting civil engineers & surveyors
 3335 Texas Street, Suite 100
 Dallas, Texas 75204 (214) 522-9540

BID ISSUE
JACK R. DAVIS & ASSOCIATES, INC.
 consulting civil engineers & surveyors
 3335 Texas Street, Suite 100
 Dallas, Texas 75204 (214) 522-9540

SUNBELT CORPORATE HEADQUARTERS
 ADDISON TEXAS

HKS
 HARWOOD K SMITH & PARTNERS
 Architects Engineers Planners
 1111 Plaza of the Americas North, LB 307
 Dallas, Texas 75201 214/748-5261