

8.919 ACRES

PROPOSED LOT 1, BLOCK 2  
ADDISON FAIRFIELD

MARCUS AVENUE

LIGHTING SCHEDULE			
SYM.	QTY.	FIXTURE	MANUFACTURER
⊕	4	TYPE 'A' REF. 1/L5.04	BEGA 9801MH-MOD-175MH-240V-BLACK BEGA 1508HR-BLACK
⊕	3	TYPE 'B' REF. 3/L5.04	BEGA 9802MH-MOD-175MH-240V-BLACK BEGA 1508HR-BLACK
⊕	7	TYPE 'C' REF. 5/L5.04	POULSEN-KAT-1/150CMHTG-120-277-COP DRA-5-3-12-BLACK
⊕	4	MOUNTED ON TRELLIS	BEGA 7511 FLOODLIGHT

LEGEND	
-----	LIMIT OF WORK
====	STEEL EDGING
=====	CURBS AND WALKS
=====	WALLS
-----	CONTROL JOINTS
-----	EXPANSION JOINTS
-----	EXISTING CONTOUR
-----	PROPOSED CONTOUR
P.A.	PLANTING AREA
○	EXISTING TREE
⊗	EXISTING TREE TO BE REMOVED
MATERIAL KEY	DETAIL NUMBER
SPECIAL PAVEMENT	SHEET NUMBER


**FAIRFIELD PARK**  
Town of Addison, Texas

**Talley Associates**  
Landscape Architecture  
Planning  
Urban Design  
1925 San Jacinto, Suite 400  
Dallas, Texas 75201  
Tel. 214-671-7900  
Fax. 214-671-7995

- 1 ENLARGEMENT (L1.02)
- 2 STREETSCAPE LIGHT FIXTURE TYPE 'B' (L5.03)
- 8 BARRIER FREE RAMP (L5.01)
- 5 BRICK PAVING TYPE 2 (L5.01)
- 5 BRICK PAVING TYPE 1 (L5.01)

- 2 STREETSCAPE LIGHT FIXTURE TYPE 'B' (L5.03)
- 8 BARRIER FREE RAMP (L5.01)
- 4 BENCH (L5.01)
- 5 BRICK PAVING TYPE 1 (L5.01)
- 5 BRICK PAVING TYPE 2 (L5.01)
- 2 CONCRETE WALK (L5.01)
- 3 PEDESTRIAN LIGHT FIXTURE TYPE 'C' (L5.03)
- 3 ENLARGEMENT (L1.02)
- 1 STREETSCAPE LIGHT FIXTURE TYPE 'A' (L5.03)
- 2 ENLARGEMENT (L1.02)
- 4 BENCH (L5.01)
- 8 BARRIER FREE RAMP (L5.01)
- 5 BRICK PAVING TYPE 1 (L5.01)

- NOTES:**
- WARNING! EXISTING UNDERGROUND UTILITIES MAY BE ENCOUNTERED THROUGHOUT THE ENTIRE PROJECT AREA. LOCATE ALL UTILITIES PRIOR TO CONSTRUCTION.**
  - Provide Town of Addison with project schedule.
  - Notify the Town of Addison of any discrepancies that arise during the construction period. Failure to make such discrepancies known to the Town of Addison will result in the contractor's liability to revise work as necessary to achieve the design intent.
  - Stake site lighting fixture locations for approval by the Town of Addison. Coordinate fixture and conduit locations among all disciplines including, but not limited to, existing and proposed mechanical, electrical, and plumbing utilities, drainage, planting, and irrigation.
  - All dimension lines shall be considered 90 degrees unless otherwise noted.
  - All concrete formwork shall be straight and free from bulges and/or changes in angle that are not shown on the drawings.
  - Layout of sidewalks shall be approved by Town of Addison prior to concrete pour.
  - Provide positive drainage throughout project area. No ponding or standing water is acceptable.
  - All walks shall not exceed 5% longitudinal slope and 2% cross slope in compliance with Texas Accessibility Standards. All accessible parking spaces, aisles, and crosswalks shall not exceed 2% slope in any direction in compliance with Texas Accessibility Standards.**
  - Accessible route shall be clear of protruding objects, including low tree limbs and signs, less than 8" in height in compliance with Texas Accessibility Standards.**
  - Provide sleeving to all planting areas re: irrigation plans.
  - All landscape areas shall be 100% irrigated, with an automatic underground irrigation system equipped with a rain sensor and a freeze guard set at 38° F.
  - See details and specifications for staking methods, plant pit dimensions and backfill requirements.
  - Stake all tree and shrub locations for approval by Town of Addison prior to beginning work.
  - Final location of plant material is subject for review and approval by Town of Addison.



Project No:	5034
Drawn By:	JW
Checked By:	CT/KB
Date:	5 September 2008
Issued:	
Issued:	
Issued:	
Issued:	
Revisions:	
△	
△	
△	
△	

Sheet Title:  
**LAYOUT AND MATERIALS PLAN**

**L1.01**

