


GYMNASIUM
TWO STORY
CONC BRICK
FF = 598.59

MATCH LINE

MATCH LINE

MATCH LINE



GRAPHIC SCALE IN FEET

LEGEND

- ⊕ FIRE HYDRANT
- ⊕ POWER POLE
- ⊕ LIGHT STANDARD
- ⊕ WATER METER
- ⊕ WATER VALVE
- ⊕ CLEANOUT
- ⊕ MANHOLE
- ⊕ GAS METER
- PROPERTY LINE
- ▨ REMOVE EXIST. PAVEMENT

NOTE:
EXISTING IRRIGATION AND ELECTRICAL IN CONSTRUCTION AREA. CONTRACTOR TO TAKE STEPS TO PROTECT EXISTING SYSTEMS AND MARK FOR FUTURE USE. ADJUST AS NEEDED.

CONTRACTOR TO TAKE STEPS AS REQUIRED TO PROTECT EXISTING TREES AND ROOT SYSTEMS SHOWN ON THIS PLAN TO THE FULLEST EXTENT POSSIBLE. UNLESS TREES THAT ARE MARKED FOR REMOVAL

- NOTES:**
1. TREE PROTECTION FENCING SHALL BE PLASTIC POLYMER SAFETY FENCE, MODEL BX2050 SAFETY GRID, MANUFACTURED BY TENSAR CORPORATION, MORROW, GA 30260, OR APPROVED EQUAL. COLOR SHALL BE HIGH VISIBILITY ORANGE.
 - a. STAKES FOR FENCING SHALL BE 2" x 4" WOOD POSTS, 7 FEET, DRIVEN A MINIMUM OF 3 FEET INTO THE GROUND. POSTS SHALL BE SPACED 8 FEET O.C. MAXIMUM.
 2. FENCING SHALL BE INSTALLED AT THE DRIP LINE OF TREES TO BE PROTECTED, UNLESS OTHERWISE APPROVED BY THE ARCHITECT.
 - a. WHERE PERMEABLE PAVING IS TO BE INSTALLED, ERECT THE FENCE AT OUTER LIMITS OF THE PERMEABLE PAVING AREA.
 - b. WHERE TREES ARE CLOSE TO PROPOSED BUILDINGS, ERECT THE FENCE NO CLOSER THAN 6 FEET TO THE BUILDING.
 - c. WHERE THERE ARE SEVERE SPACE CONSTRAINTS, CONTACT THE ARCHITECT TO DISCUSS ALTERNATIVES.

SHEET 1 OF 2

PACHECO KOCH 9401 LBJ Freeway, Suite 300
Consulting Engineers, Inc. Dallas, Texas 75243
Civil Engineering • Land Surveying (214) 235-3031

DEMOLITION PLAN
BUILDING EXPANSION
GREENHILL SCHOOL
ABST No. 273, DALLAS COUNTY
TOWN OF ADDISON, TEXAS

DESIGN	DRAWN	DATE	SCALE	NOTES	FILE	NO.
JAK	BB	JUNE 1994	1"=20'			C1

A.K.G.
7/19/94