

BARRICADE NOTES:

- 1. BARRICADES SHALL MEET THE REQUIREMENTS OF FAA ADVISORY CIRCULAR 150/5370-2E AND BE APPROVED BY THE ENGINEER
- 2. CONTRACTOR SHALL WEIGHT BARRICADE TO PREVENT DISPLACEMENT. METHOD TO BE APPROVED BY THE ENGINEER.
- 3. BARRICADES SHALL BE LOCATED AT THE 20' CENTER TO CENTER MAX SPACING
- 4. BARRICADES SHALL BE PLACED ALONG THE EDGE OF EXISTING PAVEMENT.

LOW PROFILE AIRCRAFT BARRICADE (MOVEMENT AREAS)
SCALE: NONE

IN TO THE TOTAL T

ADDISON AIRPORT, BLDG 2.404 ACRES, ZONED - [4550 JIMMY DOOLITTLE D

REVISIONS: 01/14/2011 1. REPLACED INLET DETAIL AS SHOWN.

RECORD DRAWING

The record drawing herein reflects to the best of the design engineer's knowledge, the approximate location of the constructed improvements using information provided by the contractor.

Steven R. Homever, P.E. #86942



DRAWN: HEI

DATE: 12/18/08 HEI #: 08-152

SHEET NO:

HOMEYER ENGINEERING, INC. — REGISTRATION NO. F-8440