



NOTE:  
 BID ALTERNATE TPO ROOFING

NOTE: ALL FOAM DETAIL LOCATIONS:  
 5/8\"/>

FIRE RATINGS:  
 FLOOR/CLG-1 HR-ULL #P522  
 WALL-1 HR-ULL #R2354

SOUND RATINGS:  
 FLOOR/CLG-5TC I2G10 REQ. \*  
 WITH FLOOR COVERING

**1** 4-STORY EXT. A1 & A3 - BALCONY  
 3/4\"/>

FIRE RATINGS:  
 FLOOR/CLG-1 HR-ULL #P522  
 WALL-1 HR-ULL #R2354

SOUND RATINGS:  
 FLOOR/CLG-5TC I2G10 REQ. \*  
 WITH FLOOR COVERING

**2** 4-STORY EXT. B3 STUCCO WALL  
 3/4\"/>

FIRE RATINGS:  
 FLOOR/CLG-1 HR-ULL #P522  
 WALL-1 HR-ULL #R2354

SOUND RATINGS:  
 FLOOR/CLG-5TC I2G10 REQ. \*  
 WITH FLOOR COVERING

**3** 4-STORY EXT. A4 UNIT BALCONY  
 3/4\"/>

**KELLER SPRINGS LOFTS**  
 LOFT APARTMENTS IN ADDISON, TEXAS

CONSTRUCTION ISSUE  
 10-17-2011

**BGO architects**  
 4144 N. Central Exp.  
 Suite 855  
 Dallas, TX 75204  
 214.520.8878  
 bgoarchitects.com

DATE: 08-05-2011  
 PROJECT: 11129  
 SHEET NUMBER: 7.7  
**4 ST. WALL**

COPYRIGHT © Beeler Guest Owners Architects ALL RIGHTS RESERVED  
 10-17-2011