



- NOTES:
1. DESIGNED PER INTERNATIONAL BUILDING CODE 2012
  2. CONCRETE COMP STRENGTH - 4000 P.S.I.
  3. REINFORCEMENT STEEL - ASTM A615-GR 60
  4. CLEAN BOTTOM OF HOLE PRIOR TO PLACEMENT OF CONCRETE
  5. CONCRETE SHALL BE PLACED WITHIN BHRS OF DRILLING
  6. DESIGN WIND PRESSURE 30 PSF
  7. MAX. PLASTER SPACING - 8.0'
  8. MAX HEIGHT OF WALL - 6.0'
  9. EXTEND REBAR 4.0' INTO PLASTER AND COLUMN



- NOTES:
1. THIN WALL PANELS SHALL BE COMPLETELY ISOLATED FROM COLUMN MASONRY
  2. PROVIDE GAP ON EACH SIDE OF WALL WITH BOND BREAKER
  3. PROVIDE 3/4" GAP BETWEEN END OF TIN WALL AND 1/2" PINE BOARD
  4. CONSTRUCT MOW STRIP PRIOR TO CONSTRUCTING THIN WALL PANEL
  5. CONSTRUCT BRICK THIN WALL PANEL WITH STEEL ANGLE FOR FULL LENGTH OF WALL PANEL AND WITH TEMPORARY SUPPORTS ALONG WALL PANEL. TEMPORARY SUPPORTS ARE TO REMAIN IN PLACE FOR 30 DAYS.
  6. PLACE GROUT TO TOP OF COLUMN AND TROWEL SMOOTH FILL ALL CORE HOLES IN BRICK AND TROWEL SMOOTH.
  7. COLUMN GROUT COMPRESSIVE STRENGTH - 4000 P.S.I.
  8. MASONRY BRICK COMPRESSIVE STRENGTH - 2500 P.S.I.



- NOTES:
1. CONCRETE - MINIMUM COMPRESSIVE STRENGTH, 4000 PSI @ 28 DAYS
  2. REINFORCING STEEL SHALL BE NEW BILLET STEEL CONFORMING TO THE REQUIREMENTS OF ASTM A-615-GR-60
  3. MORTAR SHALL BE TYPE "S"
  4. CONSTRUCTION SHALL BE IN ACCORDANCE WITH THE REQUIREMENTS OF THE "RECOMMENDED PRACTICE FOR ENGINEERED BRICK MASONRY" BRICK OF AMERICA

LES LACS POND  
WATER WELL REBUILDING PROJECT  
TOWN OF ADDISON  
DALLAS COUNTY, TEXAS



Revision No.	Date	Description



The seal appearing on this document was authorized by Timothy E. Lackey, P.E. #61212 on 01-22-18. Attribution of a sealed document without proper notification to the responsible engineer is an offense under the Texas Engineering Practice Act. The record copy of this drawing is on file at the office of Halff Associates, Inc. 12222 Greenville Avenue, Suite 200, Dallas, Texas 75243. Title Block #012

Project No.:	29751 - WA14
Issued:	1/22/2018
Drawn By:	HALFF
Checked By:	HALFF
Scale:	AS SHOWN
Sheet Title	SCREENING WALL DETAILS
Sheet Number	C9.01