



MIDWAY ROAD

DRAINAGE DESIGN CRITERIA
 $Q = CIA$
 Where: Q = Flow, cfs
 C = 0.90 in./in.
 i = 8.74 in./hr. (100 yr. Storm)
 A = Drainage area, acres

DRAINAGE LEGEND
 Drainage Divide ————
 Drainage Area 
 Q_{100} 

BH: Operating Nut of Fire Hydrant at SW Corner of Site.
 Elev. = 609.16



DRAINAGE AREA MAP
 SCALE 1" = 500'

REIBENSTEIN ASSOCIATES ARCHITECTURE
 4310 WESTSIDE DRIVE, SUITE G
 DALLAS, TEXAS 75209
 PHONE/FAX (214) 521-7147

FA PEARCE & ASSOCIATES, INC.
 Consulting Engineers
 3321 Towerwood Dr. • Suite 100
 Farmers Branch, TX 75234
 214/247-1353 • FAX 214/247-2680

IZZARELLI-HISAW
 GENERAL CONSTRUCTION, INC.
 2050 REGENT BLVD
 SUITE 130
 IRVING, TEXAS 75063 (214) 560-1303

PROPERTY FOR
BAS REALTY
 LIMITED PARTNERSHIP



DATE 4-20-95
 JOB# 95010
 REV DATE
 REV DATE
 SHEET:
C1.2
 OF