PLAN
NOTE BOOK
No.
SURVEYED
PLOTTED
ALIGNMENT CHECKED
RT. OF WAY CHECKED
BY
DATE





PROFILE
NOTE BOOK
No.
SURVEYED
PLOTTED
GRADE CHECKED
R.W.'s NOTED
STRUCTURE NOTATIONS CHECKED
BY
DATE

BENCH MARK
1. P.K. SPIKE IN PIP EAST SIDE OF ADDISON RD. 30'± SOUTH OF SUNBELT DR. ELEV. 628.72 (AD.35
2. "D" ON TOP WEST END OF 18" RCP UNDER GRAVEL DR. TO SEWER PLANT ELEV. 626.84

1260 L.F. 8" P.V.C. SEWER PIPE SDR 35 SEE NOTE 2 FOR EMBEDMENT

NOTES:
1. Water Mains shall be Cast Iron Class 200 Water Pipe With .18 Mil. Poly Thene Tube Wrap or SDR 18 PVC Water Pipe
2. Water & Sanitary Sewer Mains Shall Be Embedded in Sand to a Depth of 6" over the top of the Pipe. If Water is Encountred a Gravel Layer a Min of 6" Deep Shall be Placed to the Bottom of the Trench

5/8

As Built 9-10-78

APPROVED FOR CONSTRUCTION CITY OF ADDISON
BY
DATE

WATER & SANITARY PLAN & PROFILE
SUNBELT BUSINESS PARK
CITY OF ADDISON, TEXAS
RAYMOND L. GOODSON JR. INC., ENGINEERS

DESIGN	DRAWN	DATE	SCALE	NOTES	FILE NO.
R.L.G.	INC.	Oct. 1977	1"=100 H 1"=5' V	R.L.G. INC.	15899-W5