



BM #1 REF. ELEVATION = 547.84  
 SQUARE CUT IN TOP OF CURB, NORTH MEDIAN END NOSE,  
 AT INTERSECTION OF VITRUVIAN WAY AND MARSH LANE.  
 BM #2 REF. ELEVATION = 559.47  
 SQUARE CUT IN TOP OF CURB, SOUTH MEDIAN END  
 NOSE, MARSH LANE 112' NORTH OF VITRUVIAN WAY.

NORTH

GRAPHIC SCALE IN FEET  
 SCALE: 1"=20'

MATCHLINE CENTER

**LEGEND**

- STREET PAVEMENT**  
 8" 4500 PSI CONCRETE P.V.M.T. W/ #3 BARS @ 18"  
 O.C.E.W. ON 6" COMPACTED SUBGRADE TO 98% AT OR  
 ABOVE OPTIMUM MOISTURE CONTENT. (ASTM D 698)
- HEAVY DUTY PAVEMENT**  
 8" 4000 PSI CONCRETE P.V.M.T. W/ #3 BARS @ 18"  
 O.C.E.W. ON 6" COMPACTED SUBGRADE TO 95% AT OR  
 ABOVE OPTIMUM MOISTURE CONTENT. (ASTM D 698)
- STANDARD DUTY PAVEMENT**  
 6" 3600 PSI CONCRETE P.V.M.T. W/ #3 BARS @ 18"  
 O.C.E.W. ON 6" COMPACTED SUBGRADE TO 95% AT OR  
 ABOVE OPTIMUM MOISTURE CONTENT. (ASTM D 698)
- SIDEWALK & FLATWORK:**  
 4" REINFORCED CONCRETE SIDEWALK FLATWORK (3000  
 PSI AT 28 DAYS) W/ #3 BARS @ 18" O.C.E.W. ON 6"  
 COMPACTED SUBGRADE TO 95% AT OR ABOVE OPTIMUM  
 MOISTURE CONTENT. (ASTM D 698)

NOTE: SEE 'CENTER' SHEET FOR SPECIFIC  
 NOTES THAT APPLY TO THIS SHEET

**WARNING**

CONTRACTOR IS TO CONTACT TEXAS ONE-CALL  
 SYSTEM (1-800-245-4545) OR OTHER UTILITY  
 LOCATING SERVICES AT LEAST 48 HOURS PRIOR  
 TO CONSTRUCTION ACTIVITIES. ICON  
 CONSULTING ENGINEERS, INC. IS NOT  
 RESPONSIBLE FOR KNOWING ALL EXISTING  
 UTILITIES IN THE PROJECT AREA NOR FOR  
 DEPICTING THE EXACT LOCATIONS OF  
 UTILITIES ON THESE DRAWINGS.

NO.	REVISION	BY	DATE

**icon** Consulting Engineers, Inc. 2840 W. Southlake Blvd., Suite 110  
 Civil Engineers - Designers - Planners Southlake, TX 76092 (817) 552-6210  
 Engineering Firm Registration Number F-9007

**VITRUVIAN WEST 2**  
 VITRUVIAN PARK - TOWN OF ADDISON, TEXAS  
 3725 VITRUVIAN WAY  
**PAVING PLAN**  
 NORTH

DESIGN	DRAWN	DATE	SCALE	NOTES	Sheet No.
ICE	ICE	NOV 17, 2020	AS NOTED		<b>C6.03</b>

VITRUVIAN WEST 2 - PROJECT NO. 5019-18