

USER: ah2140

OFFICE: RCH

PROJECT # 27379

FILE: 27379-SC-PONTEB-AB01-10.dgn

TIME: 2:16:50 PM

DATE: 5/19/2010

BAR SCHEDULE ~ ONE CAP

Table with 6 columns: Bar, Type, No., Size, Length, Weight. Lists various bar types (A, B, D, E, F1-F7, G, H1-H3, L1-L2, M, N, S1-S2, V, eH1, eH2, eS, wA1-wA3, wC, wG1-wG2, wH1-wH3, wL1-wL2, wS1-wS2, wU1-wU5, wV1-wV8, wZ) and their specifications.

ESTIMATED QUANTITIES

Table with 3 columns: Item, Unit, QUANTITY. Lists items like Drilled Shaft (48 IN), Drilled Shaft (54 IN), CI F Conc (Abut) Mass Pl, Reinf Steel, Misc Str Steel, Steel Pipe (18 IN), Steel Pipe (12 IN), PVC Pipe Underdrain (4 IN), PVC Pipe Drain (4 IN), PVC Sleeve (20 IN), PVC Sleeve (14 IN).

BAR SCHEDULE ~ ONE CAP

Table with 6 columns: Bar, Type, No., Size, Length, Weight. Lists various bar types (A, B, D, E, F1-F7, G, H1-H3, L1-L2, M, N, S1-S2, V, eH1, eH2, eS, wA1-wA3, wC, wG1-wG2, wH1-wH3, wL1-wL2, wS1-wS2, wU1-wU5, wV1-wV8, wZ) and their specifications.

ESTIMATED QUANTITIES

Table with 3 columns: Item, Unit, QUANTITY. Lists items like Drilled Shaft (48 IN), Drilled Shaft (54 IN), CI F Conc (Abut) Mass Pl, Reinf Steel, Misc Str Steel, Steel Pipe (18 IN), Steel Pipe (12 IN), Pipe Underdrain (4 IN), Pipe Drain (4 IN), PVC Sleeve (20 IN), PVC Sleeve (14 IN).

- ① Bars L1 shall be Grade 75 ksi.
② Quantity includes one 6'-1" splice.
③ Quantity includes one 1'-8" splice.
④ Quantity includes one 5'-8" splice.
⑤ Quantity includes one 2'-6" Splice
⑥ Average Length
⑦ For Contractor's information only.
⑧ Use Type II Cement
⑨ Quantities includes pipe off of bridge extending to the limits of approach slab.
⑩ PVC pipe underdrains, drains, and sleeves shall be subsidiary to the abutment concrete item 420.

CONTROL ELEVATIONS

Table with 13 columns: Abutment, Station, Elev A, Elev B, Elev C, Elev D, Elev E, Elev F, Elev G, Elev H, Elev J, Elev K, Elev L. Shows elevation data for abutments 1 and 2.

BEARING SEAT ELEVATIONS

Table with 10 columns: Abutment, Station, Position, Bm No. 1, Bm No. 2, Bm No. 3, Bm No. 4, Bm No. 5, Bm No. 6, Bm No. 7. Shows bearing seat elevations for abutments 1 and 2.



THE SEAL APPEARING ON THIS DOCUMENT WAS AUTHORIZED BY ERIC S. CHRISTIANSEN, P.E., #85412 ON 05-19-2010. ALTERATION OF A SEALED DOCUMENT WITHOUT PROPER NOTIFICATION TO THE RESPONSIBLE ENGINEER IS AN OFFENSE UNDER THE TEXAS ENGINEERING PRACTICE ACT. THE RECORD COPY OF THIS DRAWING IS ON FILE AT THE OFFICES OF HALFF ASSOCIATES, 1201 NORTH BOWSER ROAD, RICHARDSON, TEXAS, 75081, TBP# FIRM #F-312.

Project information block including Addendum #2, Revision table, Project Name (TOWN OF ADDISON, DALLAS COUNTY, TEXAS), Bridge Name (VITRUVIAN PARK BRIDGES), and SHEET 10 OF 10.