



APPLICATION
Right of Way Work Permit-FRANCHISE
(For Franchise Utility/CTP – Street Cut/Excavation/Lane Closure)

| PLEASE PRINT LEGIBLY Date of Application: 5-3-17 | |
|---|------------------------------------|
| Date of Application. | Company Phone #: |
| Utility/CTP Representative: Kevin Causey Utility/CTP Representative E-mail: Kevin, Causey & Cha | Cell Phone #: 214-394-428 1 |
| Utility/CTP Representative E-mail: Keylin, Chusey & Cha | ter, iom |
| Constructor: GTT | Company Phone # 972-329-9933 |
| Site Supervisor Name: /////C | Z4 float f flotto ii |
| Contractor = mail: Muke D Ancher 100, Com Site Forem | an E-mail: Same |
| W LOW Allers and Lacotion: HMOVILAN VISUAN | 1) 03 Westarove Dr |
| Purpose and general description of work: Span Over last Proposed Start Work Date: 5-10-17 Estimated | Completion Date: 6-10-17 |
| Proposed Start Work Date: 5-70 1 | Fixed Executation 2 Tives Fixed |
| Pavement Cut? ☐Yes ☐Xfo Directional Bore/Boring? ☐Yes | Excavation: Eles Eles |
| Lane Closure? ☐Yes ☐No Other: | |
| Applicant's Printed Name Mile Hulvey Applicant's Printed Name Signature | Supervisor Position with Company |
| ails a and new ma commentional | Phone # 469-853-5420 |
| Revin Causey 214-394-1 | 28 Spectrum |
| Direct Supervisor's Name Phone Number | per Company Name |
| Supervisor's E-mail: Same as above | |
| | |
| Received By: | ived Date: 5-5-17 |
| Approved By: Inspector: | |
| Plans Submitted? □Yes □No □N/A Traffic Control Plan submitted? □ | Yes □No □N/A Expiration Date: |
| Insurance Provided? □Yes □No □On File Performance/Mainter | nance Bond? □Yes □No □On File □N/A |
| Fee Paid:Receipt #: | Processed By: WILLS |
| Picked Up By: Company: C | Date & Time: 17 17 |
| TOWN OF ADDISON INFRASTRUCTURE AND DEVE ATTN.: RIGHT OF WAY PERMIT - DAV 16801 WESTGROVE RD. ADDISO | E WILDE 972-450-2847 |

PHONE: 972-450-2871 FAX: 972-450-2837


Page 2 of 3

| t | | | |
|---|--|--|--|
| | | | |
| | | | |
| | | | |
| | | | |

Spectrum

AMERICAN VISION WINDOWS INC 4385 WESTGROVE DR ADDISON, TEXAS

VICINITY MAP



GENERAL PROJECT NOTES


- ALL CONSTRUCTION WORK WITHIN THE PUBLIC RIGHT-OF-WAY SHALL BE DONE IN ACCORDANCE WITH THE ORDINANCES AND REQULATIONS OF THE MUNICIPALITY IN WHICH THE WORK IS TO BE PERFORMED.
- 2. EXISTING UTILITY LOCATIONS SHOWN ARE TAKEN FROM AVAILABLE RECORDS AND MAY NOT BE ALL INCLUSIVE.
 UTILITY LOCATIONS ARE GENERALLY SCHEMATIC IN NATURE AND MAY NOT ACCURATELY REFLECT THE SIZE AND
 LOCATION OF EACH PARTICULAR UTILITY. THE CONSTRUCTION CONTRACTOR SHALL ASSUME RESPONSIBILITY FOR
 ACTUAL LINE LOCATES IN THE FIELD AND THE PROTECTION OF ALL EXISTING FACILITIES WHETHER SHOWN OR NOT.
 THE CONSTRUCTION CONTRACTOR SHALL ALSO ASSUME RESPONSIBILITY FOR REPAIRS TO ANY EXISTING FACILITY
 DAMAGED AS A DIRECT RESULT OF THE CONSTRUCTION ACTIVITIES WHETHER THE FACILITY IS SHOWN ON THE
 DRAWINGS OR NOT.
- 3. THE CONSTRUCTION CONTRACTOR SHALL BE RESPONSIBLE FOR CONTACTING ALL DEPARTMENTS WITHIN THE MUNICIPALITY AND THE UTILITY COMPANIES AT LEAST TWO WORKING DAYS PRIOR TO THE COMMENCEMENT OF WORK.

CALL BEFORE YOU DIG 811 IT'S THE LAW

- 4. IT SHALL BE THE RESPONSIBILITY OF THE CONSTRUCTION CONTRACTOR TO: A) PREVENT DAMAGE TO PRIVATE AND PUBLIC PROPERTY. B) RESTORE ALL AREAS EFFECTED BY THE CONSTRUCTION TO ORIGINAL OR BETTER CONDITION.
- 5. BARRICADING AND TRAFFIC CONTROL SHALL BE THE RESPONSIBILITY OF THE CONSTRUCTION CONTRACTOR AND SHALL CONFORM TO THE "TEXAS MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES". TRAFFIC FLOW AND ACCESS SHALL BE MAINTAINED DURING ALL PHASES OF CONSTRUCTION. THE CONSTRUCTION CONTRACTOR IS RESPONSIBLE FOR PROVIDING TRAFFIC SAFETY MEASURES FOR WORK ON THE PROJECT. THE WORK SITE SHALL BE SUITABLY LIT AND RABRICADED AT NIGHT.
- 6. THE CONSTRUCTION CONTRACTOR SHALL ABIDE BY ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS GOVERNING EXCAVATION, THE CONSTRUCTION CONTRACTOR SHALL PROVIDE ALL TRENCH SAFETY SYSTEMS THAT COMPLY WITH ALL LAWS GOVERNING EXCAVATION. THE CONSTRUCTION CONTRACTOR SHALL BE SOLELY RESPONSIBLE FOR ALL ASPECTS OF WORK RELATED TO EXCAVATION.
- 7. ALL CONCRETE USED IN ANY ROADWAY SHALL BE IN COMPLIANCE WITH THE SPECIFIED CLASSES OF CONCRETE IN THE STANDARD SPECIFICATIONS 5.8 "PORTLAND CEMENT CONCRETE PAVEMENT" AND 7.4.5 "QUALITY OF CONCRETE" AS AMENDED BY THE ADDENDUM TO THE NORTH CENTRAL TEXAS STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION - 2004. ALL OTHER CONCRETE SHALL BE CLASS A CONCRETE.
- 8. ALL REINFORCING STEEL AND DOWEL BARS IN PAVEMENT SHALL BE SUPPORTED AND MAINTAINED AT THE CORRECT CLEARANCES BY THE USE OF BAR CHAINS OR OTHER APPROVED SUPPORT.
- 9. ALL CONDUIT MUST BE PLACED WITH A MINIMUM 42" OF COVER, UNLESS OTHERWISE SPECIFIED.
- 10. ALL BACKFILLING WILL BE MECHANICALLY TAMPED IN LIFTS TO A DENSITY OF 95% PROCTOR. THE REQUIRED DENSITY WILL BE OBTAINED BY USING TAMPERS, RAMMERS OR ROLLING EQUIPMENT. LIFTS MAY VARY ACCORDING TO THE TYPE OF EQUIPMENT USED TO OBTAIN THE REQUIRED DENSITY. SAND AND DEBRIS FREE MATERIAL WILL BE USED FOR BACKFILL.

DEWT CONTACT: DAVID HATTON 972.670.2113

PREPARED BY: DFW TELECOM, INC.





| DESCRIPTION | QUANTITY | DESCRIPTION | QUANTITY |
|-------------------------------|----------|-------------------------|----------|
| TRENCH & PLACE CONDUIT | | PLACE FLUSH MOUNT VAULT | |
| BORE & PLACE CONDUIT | | PLACE PEDESTAL | |
| BORE & PLACE STEEL CASING | | PLACE FLUSH DROP BUCKET | |
| PULL THROUGH EXISTING CONDUIT | 363' | PLACE POWER SUPPLY | |
| R & R CONCRETE SIDEWALK (SF) | | PLACE WALL BOX & RISER | |
| R & R CONCRETE PAVEMENT (SF) | | PLACE U-GUARD RISER | 1 |
| OVERHEAD: OVERLASH | 137' | OVERHEAD: NEW BUILD | |



OF

| | PROJECT: | AMERICAN VISION WINDOWS |
|---|------------|---|
| | | INC 4385 WESTGROVE DR E: ADDISON, TEXAS |
| | ADDRESS: | 4385 WESTGROVE DR |
| l | CITY. STAT | E: ADDISON, TEXAS |

| only only in the | | | |
|------------------|----------------|-------------|-----------|
| HORIZONTAL SCALE | VERTICAL SCALE | JOB NUMBER: | DATE: |
| 1" = 40' | 1" = 10' | 1458433 | 5/01/2017 |

